

**People Who Ask for  
*More Performance* ask for  
Mystik® Lubes**



**Commercial Heavy-Duty Lubricants**







# Tested in the World's Toughest Conditions

No wonder people ask for Mystik® Lubricants by name. Mystik is a name with a unique standing among users just like you. Under this brand, you get unmatched performance and quality in:

- Heavy-duty engine oils
- Drivetrain fluids
- Hydraulic fluids
- Greases
- Specialty lubricants

No matter what business you're in, your equipment matters. Whether it's farm machinery, 18-wheelers or industrial equipment, you need to get the job done and protect your investment.

Mystik Lubricants are all about keeping your equipment running efficiently and maximizing its usefulness so you can get your work done. We offer a broad line of top-quality lubricants formulated for a variety of demanding applications, including:

- On-Highway and Off-Highway
- Commercial Transport
- Agriculture
- Construction
- Outdoor Power Equipment
- Marine
- Mining
- Industrial

The reputation of Mystik products has grown based on a "Just try it!" philosophy. Over the years, people like you have tried Mystik lubricants, and they've discovered that our commitment, expertise and passion for designing specialized lubricants has produced superior results.

Mystik customers will not settle for anything less when it comes to protecting their equipment under the harshest of operating conditions.



# **My tractor bearing failures**

**stopped when we  
started using**

## **Mystik**

**Ten Years later,  
we're still trouble free.**

—Tom Farney, Farney Farm





## **Mystik Backs You Up With Top Notch Technical Support, Best in Class Product Warranties and World Class Customer Service**

We maintain a specialty laboratory staffed by engineers and scientists who are lubrication pros. Our lube product specialists are also available to help solve specific application challenges and recommend the most suitable lubricant solutions.

We don't just comply with current worldwide product standards, we meet and exceed them while helping to guide their development. Our engineers, scientists and on-site experts work closely with equipment builders and professional organizations like the American Petroleum Institute (API), International Lubricant Standardization and Approval Committee (ILSAC), National Lubricating Grease Institute (NLGI), ASTM, and other organizations working to create, standardize and guide development of lubrication products.

Our customer service and product answer lines allow you easy access to lubrication professionals when you have questions about programs, warranties or product applications. We also offer customized programs designed to help extend equipment life and give you the confidence you need to push your equipment to its limit.

Whether you're pushing your drivetrain to maximize performance on the road, rushing to get your harvest in, or relying on many pieces of equipment to keep your factory running smoothly, we'll make the performance you need possible with our products and services.



# Ask for Mystik Engine Oils for Better Performance and Enhanced Service Life



## Elite Performance Series

**JT-8® Synthetic 5W-40** uses high-quality, full synthetic base fluid to improve high and low temperature properties. The synthetic components give you the best low-temperature performance while minimizing volatility. Platinum Plus products deliver the benefits of our Platinum Performance Series products, while improving fuel economy and cold-temperature performance. The advanced additive approach addresses the engine needs of the future, including Diesel Exhaust Gas Recirculation (EGR) systems, Diesel Particulate Filters (DPFs) and Diesel Oxidation Catalysts (DOCs) plus other benefits of the Platinum Performance Series.

### SAE Grade:

5W-40

### Recommended by Mystik for:

- API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4
- Caterpillar ECF-3
- Cummins CES 20086
- Mercedes 228.31
- Detroit Diesel 93K222
- Mack EOS-4.5
- Renault RLD-4
- Volvo VDS-4.5

## Premium Plus Performance Series

### JT-8 Synthetic Blend Super Heavy Duty Engine Oils

are high-quality, synthetic-blend lubricants with a combination of synthetic and premium base stocks and a well-balanced premium additive system that provides superior deposit control, minimizes sludge and varnish, and controls wear under the most severe service conditions. Formulated to provide the superior soot-handling and wear protection demanded by modern heavy-duty diesel engines, they help maintain long-term low-emission performance. These products are also applicable for LNG and CNG conversion engines.

### SAE Grades:

15W-40, 15W-50, 10W-30, 10W-40, 10W, 30, 40, 50

### Recommended by Mystik for:

- Commercial on-highway fleets
- Construction equipment
- Buses
- Diesel-powered applications where a superior quality engine oil is required



Commercial Benefits  
**Engine Oils**

Commercial Benefits Engine Oils		Application				Feature									Support/ Program	
		On-Highway	Off-Highway	Agriculture	Construction	All-Season	Extended Engine/Battery/Starter Life	Maximum Shear Stability	Optimized Drain Interval	Optimum Viscosity Retention	Reduced Operating Costs	Soot Arrest	TBN Retention	Urban Buses	LubeAlert	Warranty
Elite Performance	JT-8 Synthetic 5W-40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Premium Plus Performance	JT-8 Synthetic Blend Super Heavy Duty	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓





# Ask for Mystik Drivetrain Fluids for the Most Punishing Workloads

## Elite Performance Series

**SX-7000® Synthetic Fluids** are heavy-duty, state-of-the-art, high-quality synthetic lubricants designed to function with today's aerodynamic designs, increased loads, and tighter schedules. They provide outstanding performance in terms of thermal stability and component protection, which reduces maintenance and downtime.

### SAE Grades:

50, 75W-90, 80W-140, MTF (75W-90)

### Recommended by Mystik for Manual Transmissions:

#### SX 700 MTF (75W-90)

- Eaton PS-386
- Mack TO-A Plus
- Navistar MPAPS B-6816 Type II
- API MT-1

#### SAE 50

- API GL-4, MT-1
- Eaton PS 164 Rev. 7, PS 164/081 (500,000 mile extended drain)
- International TMS-6816 (500,000 mile extended drain)
- Mack TO-A (500,000 mile extended drain)
- ZF Freedom Line

### Recommended by Mystik for Differentials (75W-90 and 80W-140):

- API GL-5, MT-1
- Eaton Roadranger E500/Shaes 256, Rev. A (80W-140), Rev. C (75W-90)
- Heavy duty drive axles
- International TMS-6816
- Mack GO-J (80W-140)
- GO-J Plus (75W-90)
- SAE J2360



## Premium Performance Series

### JT-7® Synthetic Blend 75W-90 Gear

**Lubricant** provides energy efficiency benefits and excellent protection in heavy duty service over wide temperature ranges. It is designed with select synthetic base stocks and provides extreme pressure (EP) protection to minimize wear and scuffing. With superior thermal stability for long service life, it is shear stable and suitable for use in non-synchronized manual transmissions in buses and heavy-duty trucks.

#### SAE Grade:

75W-90

#### Recommended by Mystik for:

- API GL-5, GL-4, MT-1
- Former GL-6
- Mack GO-J, GO-H/S
- Meritor (formerly Rockwell International) O-76-E
- MIL-PRF-2105E
- SAE J2360

**Synthetic Blend Multi-Vehicle ATF** contains the highest quality synthetic and mineral oil base stocks combined with a state-of-the-art additive system to provide superior performance in automatic and powershift transmissions. It provides superior oxidation and thermal stability, excellent low temperature flow properties, and delivers outstanding anti-wear performance. It is compatible with a wide range of seal materials and exceeds JASO 1A for anti-shudder protection and durability. Always check owner's manual for appropriate fluid recommendation.

#### Recommended by Mystik for:

- Allison
- BMW
- Ford MERCON / MERCON V®
- GM DEXRON®, DEXRON II/IIIE, DEXRON III
- Honda, Acura
- Mitsubishi, Kia, Hyundai
- Nissan
- Toyota
- Volkswagon
- ZF





**Multi-Purpose ATF** is a multi-function, automatic transmission fluid manufactured from selected high quality base stocks and additives. It protects transmission parts against rust, corrosion and wear.

**Recommended by Mystik for:**

- Allison Type C-3, C-4
- Caterpillar TO-2
- Daimler-Benz DKA
- DEXRON-III
- Ford MC2138CJ, M2C166H, MERCON
- Parker Denison HF-0, HF-1, HF-2
- Renk Doromat 873, 874
- Sperry Vickers I-286-S, M2950-S

**JT-7 Multi-Purpose Gear Lubricants** are thermally stable, sulfur-phosphorus EP gear lubricants that exceed the performance requirements of the latest axle and transmission fluid specifications. A specially balanced Mystik additive provides exceptional durability under high-temperature conditions. These lubricants can withstand heat and continue to provide superior EP protection, minimum gear wear, excellent deposit control and improved rust and corrosion protection under extreme service conditions.

**SAE Grades:**

80W-90, 85W-140

**Recommended by Mystik for:**

- API GL-5, GL-4, MT-1
- Mack GO-J
- MIL-PRF-2105E
- SAE J2360

**JT-5® Universal Trans-Hydraulic Fluid** provides excellent performance in modern agricultural equipment. It offers outstanding gear wear protection, brake chatter control and oxidation resistance. Excellent filterability characteristics along with rust and corrosion inhibitors, water tolerance, and wide temperature range

performance make it well-suited for hard-working applications where an added level of protection is needed.

**Recommended by Mystik for:**

- Allison C-4
- API GL-4
- Case MS1205, 1207, 1209, 1210
- Case New Holland MAT 3525
- Caterpillar TO-2
- Eaton performance standard as specified in Brochure 03-401-2010
- John Deere J20C
- Kubota UDT
- Massey Ferguson M-1145, M-1135, M-1141, M-1143
- Parker Denison HF-0, HF-1, HF-2
- Volvo WB101
- ZF TE-MC-03E, -05, -06

**Tenax® Fluids** are heavy-duty transmission and final drive lubricants formulated to meet the performance requirements of Caterpillar TO-4 and Allison C-4 (10W & 30). While significant improvements in transmissions and final drives have increased equipment durability and productivity, they have also increased the workload on gears and bearings, and required the development of new and diverse friction materials. Tenax Fluids provide the protective qualities essential to maximize equipment life and performance in these demanding applications.

**SAE Grades:**

10W, 30, 50

**Recommended by Mystik for:**

- Heavy duty powershift transmissions, final drives, hydrostatic transmissions, torque converters and hydraulics where a TO-4 or C-4 fluid is recommended
- Eaton Fuller, Rockwell and Dana/Spicer transmissions for service fill (SAE 50)
- ZF powershift transmissions in off-road machines, special vehicles and lift trucks



Commercial Benefits

## Drivetrain Fluids

		Application				Transmission		Feature			Support/ Program
		On-Highway	Off-Highway	Agriculture	Construction	Manual	Semi or Automatic	All-Temp	Extended Life	Optimized Drain Intervals	Warranty
<b>Elite Performance</b>	<b>SX-7000 Synthetic Fluids</b>	✓	✓	✓	✓	✓		✓	✓	✓	✓
<b>Premium Performance</b>	<b>JT-7 Synthetic Blend 75W-90 Gear Lubricant</b>	✓	✓	✓	✓	✓		✓			✓
	<b>Synthetic Blend Multi-Vehicle ATF</b>	✓	✓	✓	✓		✓	✓	✓	✓	✓
	<b>Multi-Purpose ATF</b>	✓	✓	✓	✓		✓	✓	✓	✓	✓
	<b>JT-7 Multi-Purpose Gear Lubricants</b>	✓	✓	✓	✓	✓					✓
	<b>JT-5 Universal Trans-Hydraulic Fluid</b>		✓	✓	✓		✓	✓	✓	✓	✓
	<b>Tenax Fluids</b>		✓	✓	✓		✓		✓		✓



# Ask for Mystik Hydraulic Fluids to Keep Your Machines Humming Along

## Premium Performance Series

**AW/AL Hydraulic Oils** are high-quality anti-wear, anti-leak and anti-foam hydraulic oils formulated for use in modern high- and low-pressure industrial and mobile hydraulic systems. They have 100% paraffinic high VI base oils with low pour points for wide temperature usage, and also include antioxidant stabilizers and an antirust additive. They may be used as inhibited, non-detergent oils. The High Viscosity Index (HVI) products are for wide temperature application and have a typical dielectric strength of 35kV, making them suitable for use as non-conductive hydraulic fluids.

### ISO Grades:

32, 46, 68, 100

HVI: 32, 46, 68, 100

### Recommended by Mystik for:

- Applications requiring a non-conductive hydraulic fluid (HVI products)
- Hydraulic circuit components (valves, motors, servos, pumps, etc.)
- Vane, piston and gear hydraulic pumps
- Vacuum pumps
- Bearings and gears that require an R&O or R&O/AW hydraulic oil
- General non-detergent type oils
- Parker Denison HF-0
- Eaton performance standard as specified in brochure 03-401-2010

**AW Hydraulic Oils** offer excellent anti-wear protection with rust, oxidation and foam inhibitors in high-quality base stocks with good oxidation stability.

### ISO Grades:

22, 32, 46, 68, 100

### Recommended by Mystik for:

- High- and low-pressure hydraulic systems where additive-treated product is required
- Vane, piston and gear pumps
- Bearings, gears, and pumps that require an R&O or R&O/AW hydraulic or turbine oil
- Parker Denison HF-0
- Eaton performance standard as specified in brochure 03-401-2010



Commercial Benefits  
**Hydraulic Fluids**

		Application				Feature				Support/ Program
		On-Highway	Off-Highway	Agriculture	Construction	Deposit Control	Minimum Foaming and Air Entrainment	Rust and Corrosion Protection	Water Contamination Protection	Warranty
<b>Premium Performance</b>	<b>AW/AL</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓
	<b>AW</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓





# Ask for Mystik Greases for Mission-Critical Equipment



## Elite Performance Series

**JT-6® Synthetic Hi-Temp Greases** are high-temperature, full-synthetic, lithium-complex greases that combine excellent multi-purpose properties with a high dropping point for use over a wide temperature range. They exhibit a high Timken OK Load in addition to providing excellent Four-Ball Wear, EP performance and superior corrosion resistance. They provide outstanding protection in automotive, agricultural, trucking, mining, construction and industrial applications.

### NLGI Grades:

#1 (100), #2 (100), #2 (220)

### Recommended by Mystik for:

- Mining operations, construction equipment, and sand/gravel plants subject to shock loads placed on bearings (220)
- High-speed bearings (100)
- NLGI Chassis grease category LB (220)
- NLGI Wheel bearing grease category GC (220)
- Severe service requirements such as disc brake wheel bearings, backhoe hinge pins and conveyor bearings (220)

## Mystik JT-6 Super Heavy Duty 460 Grease

is a high performance grease designed for a wide variety of heavy duty applications. It is a premium lithium complex thickener system utilizing an optimized blend of mineral and synthetic base oils for a wide operating temperature range and superior performance properties. Mystik JT-6 Super Heavy Duty Grease exhibits excellent wear control, extreme high EP performance, provides excellent water resistance and superior corrosion protection in the most adverse conditions in the presence of fresh and salt water. The corrosion protection is particularly important when equipment is exposed to corrosive anti-icing agents and water spray conditions. Longer greasing intervals, longer equipment life, fewer repairs and more uptime are benefits realized by using the superior performing Mystik JT-6 Super Heavy Duty 460 Grease.

### NLGI Grade:

#2

### Recommended by Mystik for:

- Heavy Duty Trucking including 5th Wheels, U-Joints, King-Pins
- Extreme Heavy Haul Trucking
- Mining
- Construction
- Agriculture
- Heavy Duty Industry
- Logging Machinery
- Pit and Quarry Equipment



## Premium Plus Performance Series

**JT-6 Hi-Temp Greases** are lithium-complex greases that combine excellent multi-purpose properties with a high dropping point for use over a wide temperature range. They exhibit a high Timken OK Load in addition to providing excellent Four-Ball Wear and EP performance. They provide outstanding protection in automotive, agricultural, trucking, mining, construction and industrial applications.

### NLGI Grades:

#1, #2

### Recommended by Mystik for:

- NLGI Chassis grease category LB
- NLGI Wheel bearing grease category GC
- Heavy-duty agricultural, automotive, construction, industrial, mining and trucking equipment

**JT-6 Hi-Temp Grease with Moly** is high-performance mining and construction grease that provides superior performance where a moly-compounded, adhesive, multi-purpose, high-temperature lithium-complex grease is required. Its 3% molybdenum disulfide content handles extreme service conditions and helps provide optimum protection in severe environments. Additionally, it is fully additive treated, providing protection against rust, oxidation and wear, as well as providing extreme pressure performance.

### NLGI Grade:

#2

### Recommended by Mystik for:

- Caterpillar
- Mining operations, construction, sand/gravel plants and construction equipment subject to shock loads placed on bearings
- Mack Multi-Purpose MG-C

**JT-6 Lo-Temp Extreme Grease** is a low to medium temperature range multi-purpose grease for bearings and grease-lubricated chassis applications. It is light-colored, low-staining, water-resistant and provides anti-wear protection under high loads. It performs well in extremely cold temperatures where minimum friction is necessary and where high speeds are involved.

### NLGI Grade:

#2

### Recommended by Mystik for:

- Equipment is stored or used intermittently
- Excellent rust protection
- Extremely cold temperatures
- High speeds
- Minimum friction





**JT-6 Multi-Purpose Grease** is a water-resistant product. It is light-colored, low-staining and has a very low oil separation rate. It provides excellent anti-seize protection under high loads, and is fully rust- and oxidation-inhibited. This medium-temperature range multi-purpose grease works best in instances of EP loads and slow-to-medium-speed bearings. It is also available in an aerosol form for penetrating hard-to-reach points.

**NLGI Grade:**

#2

**Recommended by Mystik for:**

- Extreme pressure loads, slow-to-medium speed bearings such as greased chassis points, fifth wheels and water pumps
- Use where extended lubrication intervals are practical, highly loaded or shock loaded grease lubricated applications exist or where excellent rust protection is required

**JT-6 Synthetic Blend Grease** is a premium quality, multi-purpose, high-temperature, lithium- complex EP grease with excellent low temperature properties. Engineered to protect under severe operating conditions, it contains EP/anti-wear, rust and oxidation inhibitor additives to provide superior protection. It is categorized as an excellent high/low temperature multi-purpose grease due to its ability to lubricate over a very broad temperature range in a wide variety of automotive, agricultural, trucking, industrial, mining and construction applications.

**NLGI Grade:**

#2

**Recommended by Mystik for:**

- Surface corrosion protection of vehicles and equipment operated over the temperature range of -54 to 180°C (-65 to 356°F), including a wide variety of automotive, agricultural, trucking, industrial, mining and construction equipment
- High-speed bearings
- NLGI Chassis grease category LB
- NLGI Wheel bearing grease category GC

**OG-5 Outside Gear Grease** is a water-resistant grease with excellent resistance to washing. It is very adhesive, stringy and self-spreading, and is superior in leaving a corrosion resistant film. It contains a high level of anti-wear and extreme pressure additives and can be applied by gun, brush, swab, pump, etc.

**NLGI Grade:**

#1.5

**Recommended by Mystik for:**

- Wide temperature range open gear grease
- Sliding applications such as guide rails, fifth wheels, slideways, etc.

**Moly Grease** is a superior-quality, multi-functional, EP, lithium-complex grease that combines the high-temperature function of the thickener with molybdenum disulfide (moly) and graphite to provide extended extreme pressure and high-temperature performance. This product works best in extreme conditions found in mining, construction and severe industrial applications.

**NLGI Grade:**

#2.5

**Recommended by Mystik for:**

- Industrial bearings
- Mining equipment (above- and below-ground bucket loaders, conveyors, etc.)
- Off-highway construction (bucket pins, bucket loaders, backhoes, articulated trucks, u-joints, etc.)
- Heavy-duty fleets (fifth wheels, king pins, slack adjusters, u-joints, pins and bushings)



Commercial Benefits

# Greases

		Application				Feature								Support/ Program
		On-Highway	Off-Highway	Agriculture	Construction	Extended Life	Moly %	NLGI GC-LB	Rust Protection	Water Contamination Protection	Wheel Bearings	Lo Temp	Hi Temp	Warranty
Elite Performance	JT-6 Synthetic Hi-Temp	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓
	JT-6 Super Heavy Duty 460	✓	✓	✓	✓	✓			✓	✓			✓	✓
Premium Plus Performance	JT-6 Hi-Temp	✓	✓	✓	✓	✓		✓	✓	✓	✓		✓	✓
	JT-6 Hi-Temp with Moly	✓	✓	✓	✓	✓	3%	✓	✓	✓	✓		✓	✓
	JT-6 Lo-Temp Extreme	✓	✓	✓	✓	✓			✓	✓		✓		✓
	JT-6 Multi-Purpose	✓	✓	✓	✓	✓			✓	✓	✓*			✓
	JT-6 Synthetic Blend	✓			✓	✓		✓	✓	✓	✓	✓	✓	✓
Premium Performance	OG-5 Outside Gear		✓		✓	✓			✓	✓				✓
	Moly	✓	✓	✓	✓	✓	1.5%		✓	✓		✓	✓	✓

\* Boat Trailer Wheel Bearings

# Ask for Mystik Specialty Lubricants for Better Long-Term Performance

## Premium Performance Series

**Bar and Chain Lubricant** is a great choice for loggers as well as ranchers and homeowners. It uses special components to reduce wear, guard against rust and enhance metal adhesion that reduces spatter. It was designed for use in all brands of chainsaws over a wide temperature range.

**SAE Grade:**

30

**Recommended by Mystik for:**

- Chainsaw Chains

**Rock Drill Oils** are formulated with EP, anti-wear, rust and oxidation inhibitors, a tackifier and an emulsifier. These products provide excellent EP and anti-wear performance in heavy duty pneumatic tools, and can also be used as high quality industrial slideway lubricants (way oils) or non-drip oils.

**ISO Grades:**

100, 150

**Recommended by Mystik for:**

- Rock drills, jackhammers and other pneumatic tools
- Mild EP gear lubes, way lubricants and non-drip oils

**Tuff-Torq EG®** high-performance, high-pressure tool joint compound that uses a proprietary non-metallic additive system to provide a more environmentally friendly alternative to detrimental metal-containing compounds without compromising performance. It employs a lithium stearate thickener for improved thread adhesion and exceptional sealing properties, as well as special compounding that includes a leak preventer that swells the seal and prevents wash-out.

**NLGI Grade:**

#1

**Recommended by Mystik for:**


- Drill collar compound
- Production tube compound
- Storage compound for pipe yards



Commercial Benefits

## Specialty Lubricants

		Application						Support/ Program
		Construction	Drilling	Off-Highway	Chainsaw Chains	Gear or Speed Reducers	Rock Drills	Warranty
Premium Performance	Bar and Chain	✓			✓			✓
	Tuff-Torq EG		✓					✓
	Rock Drill Oils	✓		✓			✓	✓





An aerial photograph of a construction site. In the foreground, a long train of empty hopper cars sits on tracks. To the left of the tracks, several pieces of heavy machinery are parked, including a large front loader, a smaller loader, and a truck. In the background, a dump truck is visible on a dirt road. The site is surrounded by a dense forest of trees.

## Ask for Mystik Lubricants for the Customer Support You Can Count On

Mystik Customer Support is unprecedented. Like the quality of our oils and greases, we deliver exemplary service, too. Here are three more reasons why users “just ask for it.”

**One** – We’re big enough to be a formidable player in the business, but small enough to do right by our customers. After 90 years, our dedication to respond to ever-changing customer needs has proven itself over and over again.

**Two** – We know and understand the importance of strong relationships and the drive to do what it takes to get the job done right.

**Three** – We know the importance of giving back to the communities in which we operate.

## Account Management

We support your investments in people, equipment and lubricants with:

- Account managers who will help you identify and target your specific business development needs, so you can stand out in the workaday world
- Order management that places your orders and answer questions about product availability and shipping points
- Customer service that can resolve issues or concerns after you've received your order
- Technical services to assist you with product recommendations, product surveys, issue investigation and technical training
- Product and services warranties

## LubeAlert®

Mystik LubeAlert program manages more than 1,700 fleets – 160,000-plus diesel engines of all makes and models. Today, fleet managers using LubeAlert can safely optimize service life and take full advantage of extended lubricant life capabilities. Mystik employs a team of highly qualified lab technicians working in Mystik labs and makes this team available to Mystik owner operators and fleets.

### LubeAlert Oil Analysis Program:

- Provides maintenance recommendations based on lab test result samples
- Generates reports based on the data
- Identifies units that missed their pre-determined sampling period
- Offers useful queries



## Guaranteed Efficiency Program

Mystik works to improve the efficiency of your business, including fuel savings, extending and optimizing your drain intervals, improving the protection of your equipment to minimize down time, reducing maintenance issues and providing the best service in the business.

When you qualify for the Guaranteed Efficiency Program, we guarantee a savings of up to 3% on total fuel and lubricants over a six-month trial period. Most businesses qualify because few have fully optimized their efficiency. If we don't deliver on the efficiency gains promised, we'll refund the entire amount you've invested in Mystik lubricants over the life of the trial period. When we do deliver on the efficiency gains promised, you'll be on your way to enjoying increased productivity for your business for years to come. We'll work with you to create the ideal combination of products and programs. We're confident this will deliver the efficiencies we promise because of the assurance that comes from our complete line of heavy-duty engine oil products. After an analysis of oil samples, we'll start customizing a solution for your fleet with our LubeAlert HD Oil Analysis Program and provide continued follow-up to get you on the road to better efficiency.

## FleetSeek® Online Database

You can get online access to financial and hiring information for more than 200,000 trucking companies, private fleet owners and owner-operators in the United States, Canada and Mexico.

Get more performance from your business. Contact us today at 1-855-4-MYSTIK or visit [www.mystiklubes.com](http://www.mystiklubes.com)



**“My neighbors ask me  
why**

**I have so few breakdowns. I tell'em  
Mystik.”**

— Larry Robinson, Robinson Farms



Commercial Benefits

# Mystik Lubricants

Application

			On-Highway	Off-Highway	Agriculture	Construction	Specialty
Engine Oils	Elite Performance	JT-8 Synthetic 5W-40	✓	✓	✓	✓	
	Premium Plus Performance	JT-8 Synthetic Blend Super Heavy Duty	✓	✓	✓	✓	
Drivetrain Fluids	Elite Performance	SX-7000 Synthetic Fluids	✓	✓	✓	✓	
	Premium Performance	JT-7 Synthetic Blend 75W-90 Gear Lubricant	✓	✓	✓	✓	
		Synthetic Blend Multi-Vehicle ATF	✓	✓	✓	✓	
		Multi-Purpose ATF	✓	✓	✓	✓	
		JT-7 Multi-Purpose Gear Lubricants	✓	✓	✓	✓	
		JT-5 Universal Trans-Hydraulic Fluid		✓	✓	✓	
		Tenax Fluids		✓	✓	✓	
Hydraulic Fluids	Premium Performance	AW/AL	✓	✓	✓	✓	
		AW	✓	✓	✓	✓	
Greases	Elite Performance	JT-6 Synthetic Hi-Temp	✓	✓	✓	✓	
	Premium Plus Performance	JT-6 Hi-Temp	✓	✓	✓	✓	
		JT-6 Hi-Temp with Moly	✓	✓	✓	✓	
		JT-6 Lo-Temp Extreme	✓	✓	✓	✓	
		JT-6 Multi-Purpose	✓	✓	✓	✓	
		JT-6 Synthetic Blend	✓	✓	✓	✓	
	Premium Performance	OG-5 Outside Gear	✓	✓	✓	✓	
		Moly	✓	✓	✓	✓	
Specialty Lubricants	Premium Performance	Bar and Chain				✓	✓
		Tuff-Torq EG					✓
		Rock Drill Oils		✓		✓	✓



P.O. Box 4689  
Houston, TX 77210-4689  
**[www.mystiklubes.com](http://www.mystiklubes.com)**  
1-855-4-MYSTIK  
1-855-469-7845