

## Section 1 - Identification

Product Name: Parts Solv Degreaser (12941)

Sutton Systems  
184 Baker Street  
Norman Park, GA 31771  
229-324-3141

**Emergency Phone: 800-535-5053**

Product Use: This product is a low odor degreaser designed for cleaning heavy soils and hydrocarbons .

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid	4	Flash point $\geq 60^{\circ}\text{C}$ (140°F) and $\leq 93^{\circ}\text{C}$ (200°F)
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	2B	Mild eye irritant: Subcategory 2B, Reversible in 7 days
Aspiration hazard	1	Aspiration Toxicity Category 1: Known (regarded)- human evidence - hydrocarbons with kinematic viscosity $\geq 20.5$ mm <sup>2</sup> /s at 40° C.

### GHS Hazards

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315+H320	Causes skin and eye irritation

### GHS Precautions

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P235	Keep cool
P264	Wash hands thoroughly after handling
P280	Wear protective gloves/protective clothing/eye protection/face protection
P321	Specific treatment (see First Aid below or label)
P331	Do NOT induce vomiting
P362	Take off contaminated clothing and wash before reuse
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P337+P313	Get medical advice/attention
P370+P378	In case of fire: Use Section 5 recommendations for extinction
P405	Store locked up
P403+P235	Store in a well ventilated place. Keep cool
P501	Dispose of contents/container in conformance with State, Local, and Federal regulations.

**Signal Word: Danger**



### Section 3 - Composition, Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Paraffinic Naphthenic Solvent, Aliphatic Solvent	64742-47-8	80.00% - 90.00%
2-butoxyethanol	111-76-2	5.00% - 10.00%
Nonylphenol, ethoxylated	127087-87-0-6	5.00% - 10.00%

### Section 4 - First Aid Measures

**Inhalation:** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

**Eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact:** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.

**Ingestion:** If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

### Section 5 - Fire Fighting Measures

Flash Point: 63 C (145 F)

LEL: 1.00

UEL: 11.00

**Fire/explosion:** NFPA Class IIIA combustible liquid.

Suitable extinguishing media: Water spray or fog, foam, dry chemical, CO2

**Further information:** Keep containers and surroundings cool with water spray.

**Protective equipment and precautions for firefighters:** Wear self-contained breathing apparatus and protective suit.

### Section 6 - Accidental Release Measures

**Methods and materials for containment and cleaning up:** Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according local / national regulations (see section 13).

### Section 7 - Handling & Storage

**Safe handling advice:** Ensure all equipment is electrically grounded before beginning transfer operations.

**Storage/Transport temperature:** Ambient; **Storage/Transport pressure:** Ambient; **Load/Unload temperature:** Ambient

### Section 8 - Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
-------------------------	----------------------	-----------------------	-----------------------

Paraffinic Naphthenic Solvent, Aliphatic Solvent 64742-47-8	Not Established	Not Established	Not Established
2-butoxyethanol 111-76-2	OSHA Z-1 TWA:240 mg/m3 OSHA Z-1 TWA Absorbed via Skin	TWA 20ppm PE: 50 ppm	Not Established
Nonylphenol, ethoxylated 127087-87-0-6	Not Established	Not Established	Not Established

**ENGINEERING MEASURES:** Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

**EXPOSURE GUIDELINES:** Contains no substances with occupational exposure limit values. , The following Sasol internal standard would apply:., 100 ppm (525 mg/m3) for 8-hour TWA (Exposure limits for Petroleum Distillate - Stoddard Solvent)

**PERSONAL PROTECTIVE EQUIPMENT**

**Eyes Wear:** as appropriate: Goggles, Face-shield

**Skin Wear:** suitable protective clothing, gloves and eye/face protection.

**Inhalation:** Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

**Section 9 - Physical & Chemical Properties**

<b>Boiling Range</b> 171 to 211 °C <b>Color</b> Lt. Straw	<b>Appearance</b> Clear Liquid <b>Specific Gravity</b> 0.80-0.90
--	---

**Section 10 - Stability & Reactivity**

STABLE

**Incompatibilities:**

Strong Oxidizing agents, Strong Acids

Strong Oxidizing Agents

**Hazardous Decomposition:**

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Aldehydes . Ketones.

Organic acids.

Carbon Monoxide, Carbon dioxide

Hazardous polymerization will occur.

**Section 11 - Toxicological Information**

**Mixture Toxicity**

Oral Toxicity LD50: 4,085mg/kg

Dermal Toxicity LD50: 2,106mg/kg

Inhalation Toxicity LC50: 5mg/L

**Component Toxicity**

64742-47-8 Paraffinic Naphthenic Solvent, Aliphatic Solvent  
Dermal LD50: 2,000 mg/kg (Rabbit) Inhalation LC50: 4 mg/L (Rat)

111-76-2 2-butoxyethanol  
Oral LD50: 1,300 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rat)

CAS Number

Description

% Weight

Carcinogen Rating

**Section 12 - Ecological Information**

**Component Ecotoxicity**

**Section 13 - Disposal Considerations**

**Waste Code:** Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.

**Disposal methods:** Dispose of only in accordance with local, state, and federal regulations.

**Empty containers:** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

**Section 14 - Transportation Information**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	Not Regulated (Product does not sustain combustion (49 CFR 173.120(b)(3))			

**Section 15 - Regulatory Information**

- None


**Section 16 - Other Information**

**Hazardous Material Information System (HMIS)**

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C

**HMIS & NFPA Hazard Rating Legend**  
 \* = Chronic Health Hazard  
 0 = INSIGNIFICANT  
 1 = SLIGHT  
 2 = MODERATE  
 3 = HIGH

**National Fire Protection Association (NFPA)**



The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to

determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Reviewer Revision

Date Prepared: 11/12/2018