





ENGINE OIL ADDITIVES



HEAVY DUTY OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10001
1 Gallon	10002
5 Gal Pail	10015
16 Gal Keg	10085
55 Gal Drum	10091
Per Gal Tote	10398



PURE SYNTHETIC OIL STABILIZER

- Increases oil life by at least 50%
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and MPG

U.S. Measure	Product Number
1 Quart	10130
1 Gallon	10131
5 Gal Pail	10132
16 Gal Keg	10133
55 Gal Drum	10134



ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

U.S. Measure Product Number 1 Quart 10278 1 Gallon 10279

MOTOR OILS



SAE 30

- SAE grades meet or exceed current API specifications
- Excellent cold temperature properties
- Compatible with both conventional and synthetic engine oils
- Exclusive high performance additive system

U.S. Measure	Product Number
1 Quart	10053
5 Gal Pail	10280
55 Gal Drum	10220
Per Gal Tote	10556



FUEL TREATMENTS



- A great tune-up in a bottle
- Cleans and lubricates the fuel system
- Neutralizes low sulfur fuel problems
- Increases power and miles per gallon by burning excess exhaust emissions
- Increases the life of pumps and injectors

U.S. Measure	Product Number
5.25 oz	10020
1 Quart	10003
1 Gallon	10013
5 Gal Pail	10080
16 Gal Keg	10085
55 Gal Drum	10090
Per Gal Tote	10023
Concentrated Per Gal Tote	10515

PROBLEM SOLVERS



5TH WHEEL & SLIDER LUBE

- A clean, inexpensive alternative to grease for 5th wheels and sliders
- Lasts twice as long as grease
- Virtually waterproof
- Eliminate greasy mess on chassis and air hoses

U.S. Measure	Product Number
16 oz	10030
1 Gal Pail	10031



CHAIN LUBRICANT

- Protects chains, sprockets, cables and open gears
- Water resistant
- Excellent high temperature stability
- Contains extreme pressure additives

U.S. Measure	Product Number
1 Quart	10014
5 Gal Pail	10025
55 Gal Drum	10036



GEAR OILS & TRANSMISSION FLUIDS



ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

- Developed to specifically address squawk noise in gear and transmissions of agricultural equipment
- Suitable for temperatures well below freezing
- Reduces shudder in automotive transmissions including Hondas

U.S. Measure	Product Number
16 oz	10599



HEAVY DUTY TRANSMISSION & DRIVE TRAIN OIL

- Formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life
- Excellent low temperature properties, shear stability and oxidative stability
- Minimizes foam
- Provides excellent copper corrosion and rust protection
- Designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials
- Formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications

SAE 10		
5 Gal Pail	10585	
Per Gal Tote	10846	
SAE 30		
5 Gal Pail	10443	
55 Gal Drum	10445	
Per Gal Tote	10446	
SAE 50		
5 Gal Pail	10671	



PIVOT GEAR BOX OIL

- Completely lubes all gears
- Designed especially to eliminate gear problems and seal leaks in irrigation pivots
- Safely blends with other lubricants, even synthetics
- Water resistant
- Long lasting
- Also for chains and sprockets

U.S. Measure	Product Number
5 Gal Pail	10035



HYDRAULIC OILS



UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Meets and exceeds all OEM specifications for power shift transmissions
- Extends equipment and fluid life
- Reduces downtime and major over-haul

U.S. Measure	Product Number
1 Gallon	10017
5 Gal Pail	10037
55 Gal Drum	10038
Per Gallon Tote	10304



SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Longer fluid and component life
- More hydraulic pressure
- Faster response
- Smoother operation
- Designed for all temperature extremes

U.S. Measure	Product Number
5 Gal Pail	10100
55 Gallon Drum	10524



HYDRAULIC OIL BOOSTER & STOP LEAK

- Stops leaks
- Prevents major overhauls
- Reduces heat
- Increases equipment life

U.S. Measure	Product Number
1 Quart	10019
1 Gallon	10018
5 Gal Pail	10039
55 Gal Drum	10038



AW HYDRAULIC OIL

- Excellent wear protection in critical hydraulic pump parts
- Eliminates rust and corrosion
- Minimizes foam
- Designed for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings

ISO 3	2
5 Gal Pail	10401
55 Gal Drum	10403
Per Gal Tote	10414
ISO 46	
5 Gal Pail	10404
55 Gal Drum	10452
Per Gal Tote	10415
ISO 68	
5 Gal Pail	10407
55 Gal Drum	10409
Per Gal Tote	10416
ISO 150	
55 Gal Drum	10672





NON-CONDUCTIVE AW ISO 22 HYDRAULIC OIL

- Reduces deposits and sludge
- Excellent wear protection
- Excellent oxidative and thermal stability
- Dielectric strength of 38 kV makes it an excellent nonconductive fluid
- Recommended for use wherever non-conductive fluids are required

U.S. Measure	Product Number
5 Gal Pail	10691
55 Gal Drum	10692



R&O HYDRAULIC OIL

- Excellent rust, corrosion and oxidation protection
- Excellent demulsibility allows product to separate from water quickly
- Designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require antiwear additives
- Has applications in plain and antifriction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps

ISO 32	
5 Gal Pail	10447
55 Gal Drum	10449
ISO 46	
5 Gal Pail	10450
55 Gal Drum	10452
ISO 68	
5 Gal Pail	10453
55 Gal Drum	10455



MULTI VISCOSITY AW ISO 32 HYDRAULIC OIL

- Provides anti-wear protection and maximum performance
- Extremely high viscosity index and low pour point
- Recommended for use in mobil construction equipment, vane, gear, and piston type hydraulic pumps
- Suitable for use in all industrial hydraulic systems operating up to 3000 psi
- For use in plain and anti-friction bearings, airline lubricators and reciprocating air compressors

U.S. Measure	Product Number
55 Gal Drum	10577



GREASES



RED 'N' TACKY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
30 Pk - 14 oz	10005-30
60 Pk - 14 oz	10005-60
1 lb Tub	10574
35 lb Pail	10027
120 lb Keg	10028
400 lb Drum	10029



RED 'N' TACKY / 5TH WHEEL LUBE

- Rust and oxidation inhibitors
- Water resistant
- Easy to handle creating little to no mess
- Specifically designed for 5th wheel applications
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
2.5 oz	10676



HEAVY DUTY MINING & CONSTRUCTION GREASE

- Provides excellent shock loading protection
- Works in the most adverse operating conditions
- Protects wrist pins and booms from wear
- Extends equipment life
- Water resistant

U.S. Measure	Product Number
30 Pk - 14 oz	10881-30
60 Pk - 14 oz	10881-60
35 lb Pail	10597
120 lb Keg	10922
400 lb Drum	10598





WHITE LITHIUM GREASE

- Meets NLGI #2 performance
- Long Lasting
- Reduces wear
- Extreme Friction Reducer
- Recommended for use in household applications including garage doors, hinges, openers and springs

U.S. Measure	Product Number
8 oz	10533



X-TRA HEAVY DUTY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
30 Pk - 14 oz	10301-30
60 Pk - 14 oz	10301-60
1 lb Tub	10330
35 lb Pail	10305
120 lb Keg	10316
400 lb Drum	10335



GREASE COMBO PACK

Combo Pack Includes:

2 - 3 ounce cartridges of X-TRA Heavy Duty Grease

1 - 3 ounce cartridge of Red "N" Tacky Grease

- Excellent water resistance
- Effective corrosion protection
- NLGI GC-LB Certified

U.S. Measure	Product Number
Combo Pack	10315

