



INDUSTRIAL



LucasOil.com • (800) 342-2512



INDUSTRIAL

ENGINE OIL ADDITIVES



HEAVY DUTY OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10001
1 Gallon	10002
5 Gal Pail	10015
16 Gal Keg	10085
55 Gal Drum	10091
Per Gal Tote	10398



PURE SYNTHETIC OIL STABILIZER

- Increases oil life by at least 50%
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and MPG

U.S. Measure	Product Number
1 Quart	10130
1 Gallon	10131
5 Gal Pail	10132
16 Gal Keg	10133
55 Gal Drum	10134



ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

U.S. Measure	Product Number
1 Quart	10278
1 Gallon	10279

MOTOR OILS



SAE 30

- SAE grades meet or exceed current API specifications
- Excellent cold temperature properties
- Compatible with both conventional and synthetic engine oils
- Exclusive high performance additive system

U.S. Measure	Product Number
1 Quart	10053
5 Gal Pail	10280
55 Gal Drum	10220
Per Gal Tote	10556

FUEL TREATMENTS



UPPER CYLINDER LUBRICANT FUEL TREATMENT

- A great tune-up in a bottle
- Cleans and lubricates the fuel system
- Neutralizes low sulfur fuel problems
- Increases power and miles per gallon by burning excess exhaust emissions
- Increases the life of pumps and injectors

U.S. Measure	Product Number
5.25 oz	10020
1 Quart	10003
1 Gallon	10013
5 Gal Pail	10080
16 Gal Keg	10085
55 Gal Drum	10090
Per Gal Tote	10023
Concentrated Per Gal Tote	10515



DIESEL DEEP CLEAN™

- Reduces particulate matter in filters
- Cleans fuel injectors
- Restores power loss
- Improves acceleration

U.S. Measure	Product Number
16 oz	10872
64 oz	10873



ANTI-GEL COLD WEATHER DIESEL TREATMENT

- Contains REAL water dispersants to effectively remove moisture from the entire fuel system
- Lowers the cold filter plugging point of ULSD and Biofuels
- Prevents fuel thickening and gelling
- No alcohol
- Will not void warranties
- No harmful effect on diesel particulate filters

U.S. Measure	Product Number
1 Quart	10865
64 oz	10866
5 Gal Pail	10867
55 Gal Drum	10868



INDUSTRIAL

PROBLEM SOLVERS



5TH WHEEL & SLIDER LUBE

- A clean, inexpensive alternative to grease for 5th wheels and sliders
- Lasts twice as long as grease
- Virtually waterproof
- Eliminate greasy mess on chassis and air hoses

U.S. Measure	Product Number
16 oz	10030
1 Gal Pail	10031



CHAIN LUBE AEROSOL

- Designed to penetrate deeply into pins and bushing of the chains
- Excellent rust and corrosion inhibitor, as well as water resistant
- Leaves protective film to ensure minimum wear and drag
- Suitable for use on all chains including O-ring types

U.S. Measure	Product Number
11 oz	10393

GEAR OILS & TRANSMISSION FLUIDS



INDUSTRIAL GEAR OIL

- Extreme pressure protection
- Resistance to foam
- Excellent rust, corrosion and oxidation protection
- Non-corrosive to brass, bronze, steel and other copper alloys
- Excellent shock loading properties
- Designed to withstand heavy loads
- For use in chain drives, sprockets, plain and anti-friction bearings, slide guides and flexible couplings
- For use in manual transmissions, gear canes and worm gears on mobile contractor type equipment

ISO 150	
55 Gal Drum	10673
ISO 220	
5 Gal Pail	10589
55 Gal Drum	10590
ISO 320	
5 Gal Pail	10591
55 Gal Drum	10592
ISO 460	
55 Gal Drum	10806
ISO 680	
2.5 Gallon	10501
16 Gal Keg	10509
55 Gal Drum	10496



HEAVY DUTY TRANSMISSION & DRIVE TRAIN OIL

- Formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life
- Excellent low temperature properties, shear stability and oxidative stability
- Minimizes foam
- Provides excellent copper corrosion and rust protection
- Designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials
- Formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications

SAE 10	
5 Gal Pail	10585
Per Gal Tote	10846
SAE 30	
5 Gal Pail	10443
55 Gal Drum	10445
Per Gal Tote	10446
SAE 50	
5 Gal Pail	10671

HYDRAULIC OILS



UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Meets and exceeds all OEM specifications for power shift transmissions
- Extends equipment and fluid life
- Reduces downtime and major over-haul

U.S. Measure	Product Number
1 Gallon	10017
5 Gal Pail	10037
55 Gal Drum	10038
Per Gallon Tote	10304



SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Longer fluid and component life
- More hydraulic pressure
- Faster response
- Smoother operation
- Designed for all temperature extremes

U.S. Measure	Product Number
5 Gal Pail	10100
55 Gallon Drum	10524



HYDRAULIC OIL BOOSTER & STOP LEAK

- Stops leaks
- Prevents major overhauls
- Reduces heat
- Increases equipment life

U.S. Measure	Product Number
1 Quart	10019
1 Gallon	10018
5 Gal Pail	10039
55 Gal Drum	10038



INDUSTRIAL



AW HYDRAULIC OIL

- Excellent wear protection in critical hydraulic pump parts
- Eliminates rust and corrosion
- Minimizes foam
- Designed for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings

ISO 32	
5 Gal Pail	10401
55 Gal Drum	10403
Per Gal Tote	10414
ISO 46	
5 Gal Pail	10404
55 Gal Drum	10452
Per Gal Tote	10415
ISO 68	
5 Gal Pail	10407
55 Gal Drum	10409
Per Gal Tote	10416
ISO 150	
55 Gal Drum	10672



NON-CONDUCTIVE AW ISO 22 HYDRAULIC OIL

- Reduces deposits and sludge
- Excellent wear protection
- Excellent oxidative and thermal stability
- Dielectric strength of 38 kV makes it an excellent non-conductive fluid
- Recommended for use wherever non-conductive fluids are required

U.S. Measure	Product Number
5 Gal Pail	10691
55 Gal Drum	10692



MULTI VISCOSITY AW ISO 32 HYDRAULIC OIL

- Provides anti-wear protection and maximum performance
- Extremely high viscosity index and low pour point
- Recommended for use in mobil construction equipment, vane, gear, and piston type hydraulic pumps
- Suitable for use in all industrial hydraulic systems operating up to 3000 psi
- For use in plain and anti-friction bearings, airline lubricators and reciprocating air compressors

U.S. Measure	Product Number
55 Gal Drum	10577



R&O HYDRAULIC OIL

- Excellent rust, corrosion and oxidation protection
- Excellent demulsibility allows product to separate from water quickly
- Designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require antiwear additives
- Has applications in plain and antifriction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps

ISO 32	
5 Gal Pail	10447
55 Gal Drum	10449
ISO 46	
5 Gal Pail	10450
55 Gal Drum	10452
ISO 68	
5 Gal Pail	10453
55 Gal Drum	10455




SYNTHETIC COMPRESSOR OIL

- Reduces deposits in single and multi stage reciprocating air compressors
- Offers extended service life in rotary screw compressors
- Provides excellent oxidative and thermal stability
- Provides excellent wear protection and reduces deposits and sludge
- Its unique formula reduces foam and minimizes air entrainment
- Based on PAO/diester technology

ISO 32	
5 Gal Pail	10836
ISO 46	
5 Gal Pail	10497
55 Gal Drum	10498
ISO 68	
5 Gal Pail	10837

GREASES



HEAVY DUTY MINING & CONSTRUCTION GREASE

- Provides excellent shock loading protection
- Works in the most adverse operating conditions
- Protects wrist pins and booms from wear
- Extends equipment life
- Water resistant

U.S. Measure	Product Number
30 Pk - 14 oz	10881-30
60 Pk - 14 oz	10881-60
35 lb Pail	10597
120 lb Keg	10922
400 lb Drum	10598



RED 'N' TACKY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
30 Pk - 14 oz	10005-30
60 Pk - 14 oz	10005-60
1 lb Tub	10574
35 lb Pail	10027
120 lb Keg	10028
400 lb Drum	10029



INDUSTRIAL



X-TRA HEAVY DUTY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
30 Pk - 14 oz	10301-30
60 Pk - 14 oz	10301-60
1 lb Tub	10330
35 lb Pail	10305
120 lb Keg	10316
400 lb Drum	10335

GREASE COMBO PACK

Combo Pack Includes:
 2 - 3 ounce cartridges of X-TRA Heavy Duty Grease
 1 - 3 ounce cartridge of Red "N" Tacky Grease



- Excellent water resistance
- Effective corrosion protection
- NLGI GC-LB Certified

U.S. Measure	Product Number
Combo Pack	10315

RED 'N' TACKY / 5TH WHEEL LUBE

- Rust and oxidation inhibitors
- Water resistant
- Easy to handle creating little to no mess
- Specifically designed for 5th wheel applications
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications



U.S. Measure	Product Number
2.5 oz	10676

WHITE LITHIUM GREASE

- Meets NLGI #2 performance
- Long Lasting
- Reduces wear
- Extreme Friction Reducer
- Recommended for use in household applications including garage doors, hinges, openers and springs



U.S. Measure	Product Number
8 oz	10533

