





Table of **Contents**

ENGINE OIL ADDITIVES	
Heavy Duty Oil Stabilizer	3
Pure Synthetic Oil Stabilizer	3
Engine Oil Stop Leak	3
Low Viscosity Stabilizer	3
High Mileage Oil Stabilizer	4
MULTI-SYSTEM ADDITIVE	
Complete Engine Treatment	4
FUEL TREATMENTS	
Upper Cylinder Lubricant Fuel Treatment	5
Deep Clean™ Fuel System Cleaner	5
Deep Clean™ GDI	5
Diesel Deep Clean™	5
Complete Fuel System Renewal Kit	6
High Mileage Fuel Treatment	6
Octane Booster	6
Cetane Power Booster	6
Safeguard™ Ethanol Fuel Conditioner	7
Fuel Stabilizer	_
	7
Anti-Gel Cold Weather Diesel Treatment	7
	7
Anti-Gel Cold Weather Diesel Treatment	7
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAI	7 NTS
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak	7 NTS 8
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid	7 NTS 8 8
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners	7 NTS 8 8 8
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant	7 NTS 8 8 8 8
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix	7 NTS 8 8 8 8 8 9
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4	7 NTS 8 8 8 8 8 8 9 9
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner	7 NTS 8 8 8 8 8 8 9 9 9 9
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube	7 NTS 8 8 8 8 8 9 9 9 9 9
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube Penetrating Oil	7 NTS 8 8 8 8 8 9 9 9 9 9 9 9
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube Penetrating Oil Tool Box Buddy	7 NTS 8 8 8 8 8 9 9 9 9 9 9 9 10 10
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube Penetrating Oil Tool Box Buddy Air Tool Lubricant	7 NTS 8 8 8 8 9 9 9 9 9 9 10 10 10
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube Penetrating Oil Tool Box Buddy Air Tool Lubricant Chain Lubricant	7 NTS 8 8 8 9 9 9 9 9 10 10 10 10 10
Anti-Gel Cold Weather Diesel Treatment PROBLEM SOLVERS & UTILITY LUBRICAN Power Steering Stop Leak Power Steering Fluid Power Steering Fluid with Conditioners Super Coolant Transmission Fix Synthetic Brake Fluid DOT 3 & DOT 4 Brake Parts Cleaner 5th Wheel & Slider Lube Penetrating Oil Tool Box Buddy Air Tool Lubricant Chain Lubricant	7 NTS 8 8 8 9 9 9 9 9 10 10 10 10 10 11

GEAR OILS & TRANSMISSION FLUIDS Heavy Duty Gear Oils 12 Pure Synthetic Gear Oils 12 Industrial Gear Oils 12 Semi-Synthetic "Sure Shift" ATF 13 Semi-Synthetic Multi-Vehicle ATF 13 Synthetic Multi-Vehicle CVT Fluid 13 Automatic Transmission Fluid Conditioner 14 Pure Synthetic 50WT. Transmission Oil 14 Anti-Squawk/Anti-Shudder Additive 14 GREASES Red "N" Tacky Grease 15 Red "N" Tacky Spray Grease 15 X-Tra Heavy Duty Grease 15 Red "N" Tacky/5th Wheel Lube 15 Heavy Duty Mining & Construction Grease 16 White Lithium Grease 16 Multi-Purpose Grease Combo Packs 16 HEAVY DUTY TRUCK OILS Heavy Duty CK-4 Motor Oils 17 SAE 15W-40 Magnum High TBN CI-4 17 Synthetic SAE 15W-40 Magnum CJ-4 17 Synthetic SAE 5W-40 Magnum CJ-4 18 Synthetic SAE 10W-30 Magnum CJ-4/SL 18 HYDRAULIC OILS Hydraulic Oil Booster & Stop Leak 19 Universal Hydraulic & Transmission Fluid 19 Synthetic Universal Hydraulic & 19 Transmission Fluid Anti-Wear Hydraulic Oils 20 R&O Hydraulic Oils 20 Non-Conductive AW ISO 22 Hydraulic Oil 20 Heavy Duty Trans & Drive Train Oils 21 Synthetic Compressor Oils 21 HIGH PERFORMANCE MOTOR OILS Synthetic Motor Oils 22 Semi-Synthetic SAE 10W-40 Motor Oil 22 Petroleum Motor Oils 22 Hot Rod & Classic Oils 23 MOTORCYCLE PRODUCTS High Performance Motorcycle Oils 24

Semi-Synthetic SAE 10W-40 ATV/UTV Oil	24
Synthetic SAE 50 WT. V-Twin Oil	24
Synthetic SAE 75W-140 V-Twin Gear Oil	25
Primary Chaincase Oil	25
Synthetic Fork Oils	25
Motorcycle Oil Stabilizer	25
Synthetic 80W-85W Transmission Oil	26
High Performance Foam Filter Oil	26
Contact Cleaner	26
2-CYCLE OILS	
Semi-Synthetic 2-Cycle Oil	27
Semi-Synthetic TC-W3® 2-Cycle Land & Sea	27
Synthetic 2-Cycle Snowmobile Oil	27
MARINE PRODUCTS	
Marine Engine Oils	28
Outdoor & Inboard Marne Engine Oils	28
Marine Synthetic SAE 15W-40 CJ-4 Diesel	28
Marine 2-Cycle Oil TC-W3® Synthetic Blend	29
Synthetic Marine ATF Type FA	29
Synthetic M8 Marine Gear Oil SAE 75W-90	29
Fishing Reel Oil	29
Marine Fuel Treatment	30
Marine Grease	30
Slick Mist® Marine Speed Wax	30
OUTDOOR PRODUCTS	
Hunting Gun Oil	31
Extreme Duty Gun Oil	31
Extreme Duty CLP	31
Gun Metal Polish & Tumbler Media Additive	31
Extreme Duty Bore Solvent & Ultrasonic Gun	32
Extreme Duty Contact Cleaner	32
Extreme Duty Gun Grease	32
Applicator Bottle	32
RACING PRODUCTS	
Synthetic Racing Engine Oils	33
Synthetic SAE 5W-20 Jr. Dragster Racing Oil	33
Semi-Synthetic Racing Engine Oils	33
Conventional Racing Engine Oils	34
Racing Formula 2-Cycle Oil	34
Racing Suspension Fluid	34
L-Series Racing Gear Oils	35

Synthetic SAE 140& 250 Racing Gear Oils	35
Assembly Lube	35
Racing Assembly Grease	36
Extreme Pressure Synthetic Grease	36
Engine Break-In Oils	36
APPEARANCE PRODUCTS	
Metal Polish	37
Slick Mist® Speed Wax	37
Slick Mist® Interior Detailer	37
Slick Mist® Tire & Trim Shine	37
Slick Mist® Detailing Kit	38
DISPLAY KITS & ASSORTMENT RACKS	
Starter Kit	38
Demonstrator	38
Extreme Duty Gun Oil Counter Display	38
Fishing Reel Oil Counter Display	38
Slick Mist® Speed Wax Counter Display	38
Original Gun Oil Counter Display	39
Tool Box Buddy Counter Display	39
Safeguard™ Counter Display	39
Motorcycle Octane Booster Counter Display	39
Complete Engine Treatment Counter Display	39
Red N Tacky/5th Wheel Lube Counter Display	39
Display Rack	39
Specialty Assortment Rack	39
Agriculture Assortment Rack	40
Heavy Duty Assortment Rack	40
Heavy Duty CK-4 Assortment Rack	40
Hot Rod Assortment Rack	40
Marine Assortment Rack	41
Motorcycle Assortment Rack	41
Racing Only Assortment Rack	41
Winter Assortment Rack	41
PROMOTIONAL ITEMS	
Catalogs	42
Pamphlets	42
TDS Booklets	42
CONTACT	42

HEAVY DUTY OIL STABILIZER

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the world. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It stops smoking, knocking and oil consumption in worn engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. This product safely blends with all petroleum products, even synthetics. It will not void new car warranties.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10001	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10002	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

PURE SYNTHETIC OIL STABILIZER

Lucas Pure Synthetic Oil Stabilizer is perfect for use in new equipment that requires synthetic oils or any equipment that needs enhanced performance. It's the perfect addition to race cars, new cars and four-cylinder cars. Controls heat and wear in motorcycles, air-cooled engines and all drive-train components. This product greatly reduces friction, improving vehicle performance and fuel economy.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10130	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10131	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

ENGINE OIL STOP LEAK

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and base stocks designed to stop leaks in engines. It is also an exceptional additive for worn and older engines, reducing engine noise and oil consumption while raising oil pressure. It contains no harmful solvents and can actually extend engine oil life by 50% or more.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10278	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10279	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

LOW VISCOSITY STABILIZER

Lucas Low Viscosity Stabilizer is a new oil additive product specifically designed to amplify the life and performance of a modern engine that uses lower viscosity engine oils. The product improves fuel economy and power by reducing the level of friction which improves any premium quality motor oil. It is a multifunctional oil additive which reduces friction for more power and fuel economy, improves dispersancy to fight carbon deposits, sludge and varnish and contains antioxidants to help motor oil resist thermal breakdown. Above all, it reduces wear, extending the life of the engine.

INT' Product Per 11.5 11097 12x1 12 oz 355 mL 10.5 lbs 4.8 kg 150 Cases



Light enough for an import, tough enough for a semi.







HIGH MILEAGE OIL STABILIZER

Lucas High Mileage Oil Stabilizer is a 100% petroleum product - developed in the laboratory and tested in the field for maximum reliability. It is a specially blended formulation of premium base oils and petroleum extractives for use in a wide range of engine and gear box applications. It is meant to be used as an additive to existing engine or transmission oils. It creates a coating that clings to metallic surfaces, eliminating dry starts that create the most damage and wear in an older engine. This product is for use in ALL engine-driven vehicles, and HIGHLY RECOMMENDED for recreational vehicles, farm equipment, industrial equipment as well as construction and military vehicles and equipment.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10118	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases



ENGINE OIL ADDITIVES

COMPLETE ENGINE TREATMENT

Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. FOR ALL ENGINES AND OIL TYPES.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10016	12x1	1 Pint	473 mL	14 lbs	6.4 kg	126 Cases



UPPER CYLINDER LUBRICANT FUEL TREATMENT

Lucas Upper Cylinder Lubricant Fuel Treatment is formulated for gasoline and diesel engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans as it lubricates the fuel system. It also causes the fuel to burn more efficiently for greater fuel economy and fewer emissions. It negates the harmful effects of "reformulated gasoline" especially in older automobiles and 2-cycle engines. Use in diesel engines to neutralize

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10020	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases
10003	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10013	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

the harmful effects of ultra low sulfur diesel fuel. This product WILL raise MPG.



DEEP CLEAN™ FUEL SYSTEM CLEANER

Lucas Deep Clean[™] Fuel System Cleaner lubricates and cleans the entire fuel system, reduces green house gas emissions (carbon monoxide, hydrocarbons, NOx), increases power and acceleration, and improves MPG. This product is alcohol free and oxygen sensor safe. Deep Clean[™], a REAL fuel system cleaner.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10512	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
10669	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases

DEEP CLEAN™ GDI

Lucas Deep Clean[™] GDI is an aerosol product developed to help clean the entire air intake system as well as the combustion chamber and turbo (if so equipped), including: the intake manifold, runners and ports and of course intake valves. It is a blend of effective solvents and fuel detergents that gets to places where tank additives can't reach. A single application can remove substantial amounts of IVD resulting in a better running engine with more power and improved fuel economy. It's also effective in vehicles equipped with conventional port fuel injection. An easily applied product requiring a minimum of

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
11096	12x1	11 oz net	311g	11 lbs	5 kg	108 Cases

DIESEL DEEP CLEANTM

Lucas Diesel Deep Clean[™] is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It is an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It also cleans out much of the matter already trapped in the filter. This eliminates exhaust back pressure allowing the engine to run easier and cooler as well as lowering the aggravation and down

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10872	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
10873	6x1	1/2 Gallon	1.893 L	25 lbs	11.3 kg	80 Cases

time associated with particulate filters.

disassembly.







COMPLETE FUEL SYSTEM RENEWAL KIT

The Lucas Complete Fuel System Renewal Kit is your all-in-one system maintenance solution! Just follow the 4 easy steps to eliminate gum, varnish, particulate matter and corrosion from all lines and components. This kit restores maximum power and efficiency to your engine for a smooth, reliable ride. Includes one (1) bottle of Lucas Deep Clean[™] Fuel System Cleaner and three (3) bottles of Lucas Upper Cylinder Lubricant & Injector

Product	Per	U.S.	INT'L	Qty. Per
Number	Case	Weight	Weight	Pallet
10966	4x1	10 lbs	4.5 kg	175 Cases

Cleaner. There's no more effective way to restore your vehicle's performance. For all vehicles and fuel types.

HIGH MILEAGE FUEL TREATMENT

Lucas High Mileage Fuel Treatment is created specifically to restore lost power and performance in high-mileage vehicles. It cleans and lubricates fuel system components, removes valve deposits, lessens oil contamination and stops knocking and hesitation. Additionally, it works great in modern port-injected engines, maintaining maximum flow and providing lubrication to critical parts. Oxygen-sensor safe. Contains No Alcohol.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10977	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	



WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

OCTANE BOOSTER

Lucas Octane Booster is a GENUINE Performance Enhancer! Tested and proven to deliver three times more boost than most other brands. It's safe for turbos, oxygen sensors and catalytic converters. Stops knocks and raises MPG in high compression engines. Safe for

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10026	12x1	15 oz	444 mL	12 lbs	5.5 kg	132 Cases
10725	18x1	2 oz	59 mL	3 lbs	1.4 kg	252 Cases
10930	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases

any gasoline engine. Not recommended in 2-stroke engines. Available in a 2 oz. motorcycle size.





WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CETANE POWER BOOSTER

Lucas Cetane Power Booster is a diesel fuel supplement that contains effective lubricants for the engine's high-pressure fuel injection pump. Expect cleaner exhaust, longer filter life, easier start ups and smoother idle, as well as, more power, more MPG and longer engine life. It adds much needed cleaners and lubricants to the diesel fuel and reduces wear by more than 27% in unadditized diesel fuel. It lubricates rings and cylinders for longer engine life and it maintains peak performance by reducing injector

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11031	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
11032	6x1	1/2 Gallon	1.893 L	24 lbs	11 kg	80 Cases

coking and internal injector deposits.





WARNING: This product can expose you to benzene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SAFEGUARD™ ETHANOL FUEL CONDITIONER

Lucas Safeguard[™] Ethanol Fuel Conditioner was specially developed to prevent corrosion and degradation in ethanol based fuels caused by fuel separation. It protects your motor oil from the harmful side effects of alcohol combustion. It can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline. For use in 2 and 4 stroke engines.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10576	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
10670	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases
10929	18x1	2 oz	59 mL	3 lbs	1.4 kg	252 Cases



WARNING: This product can expose you to ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

FUEL STABILIZER

Lucas Fuel Stabilizer is the best solution to prevent gasoline breakdown during storage. It cleans, lubricates and maintains fuel pumps, carburetors, fuel injectors and compression rings. Safe to use in all grades of gasoline and in all 2 and 4-stroke engines. Easy to use! Application rate, 1 oz. treats 1 gallon.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10314	12x1	8 oz	237 mL	7 lbs	3.2 kg	264 Cases
10302	12x1	15 oz	444 mL	12 lbs	5.5 kg	132 Cases
10303	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases



ANTI-GEL COLD WEATHER DIESEL TREATMENT

Lucas Anti-Gel Cold Weather Diesel Treatment was especially designed to prevent cold filter plugging, fuel thickening and gelling in ULSD, diesel and bio-diesel fuels. The product is manufactured with the highest quality components to provide maximum performance. It contains REAL water dispersants to effectively remove moisture from the entire fuel system. Contains no alcohol, will not void OEM warranties and has no harmful effects on diesel particulate filters. One quart treats 150 gallons of fuel and lowers the cold filter plugging point to -10° F. For temperatures below -10° F add a second bottle with protection down to -40° F. For temperatures below -10° F add a second bottle with protection down to -40° F.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10865	12x1	1 Quart	946 mL	25 lbs	11.6 kg	70 Cases
10866	6x1	1/2 Gallon	1.893 L	24 lbs	11 kg	80 Cases



WARNING: This product can expose you to chemicals including naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

POWER STEERING STOP LEAK

Lucas Power Steering Stop Leak is also effective at removing hard spots and tightness in worn rack and pinions and the noisy whine in some Ford pumps. To correct these problems empty the reservoir and refill it with Lucas Power Steering Stop Leak (usually 12 oz). Compatible with all power steering fluids. Contains no harmful solvents.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10008	12x1	12 oz	355 mL	12 lbs	5.5 kg	160 Cases
10011	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

POWER STEERING FLUID

Lucas Power Steering Fluid is a general purpose product. It is formulated with special base oils and additives that add lubricity to help stop wear and improve performance. It contains mild seal swell agents that condition o-rings and seals to help prevent small leaks. Maintains smooth power steering operation and helps stop pump squealing. It contains supplemental oxidation inhibitors and foam inhibitors to help extend fluid life.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10823	12x1	12 oz	355 mL	9 lbs	4 kg	132 Cases
10824	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

POWER STEERING FLUID WITH CONDITIONERS

Lucas Power Steering Fluid with Conditioners is formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to prevent power steering leaks, provide smooth operation and eliminate squealing. This product is compatible with both synthetic and conventional power steering fluids and provides excellent performance in both domestic and foreign vehicles including Hondas. It can be used as makeup or as a complete change out and has excellent cold temperature properties.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10442	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

> **MOLYBDATE** FREE FORMULA

SUPER COOLANT

Lucas Super Coolant has been scientifically formulated to provide the ultimate protection in automotive and racing cooling systems. It protects the entire system from rust, corrosion and electrolysis including aluminum and has been proven to reduce coolant temperatures up to 20°F. Its unique formula prevents deposits that can cause overheating. Lower cylinder head temperatures means advanced ignition time and more horsepower.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10640	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases

8

Money Back Guarantee on Seal Leaks Only.









TRANSMISSION FIX

Lucas Transmission Fix stops slipping in worn transmissions. It also cleans and lubricates sticking valves for proper shifting. This product will extend fluid life up to three times longer. It completely stops most seal leaks and controls heat and foaming. It's the perfect preventative maintenance product to stop initial wear in newer transmissions. A must for motor homes, towing vehicles, and all other hard working transmissions. Compatible with all transmissions and transmission fluids with the exception of CVT transmissions and transmission fluids. Will not void new car warranties. Contains no harmful solvents. Use also in light duty manual transmissions. (Results are usually immediate.)



Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10009	12x1	24 oz	710 mL	19 lbs	8.6 kg	70 Cases

SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

Lucas DOT 3 and DOT 4 Brake Fluids are compatible with all brake system rubber components and other brake fluids. They prevent seal hardening or softening. They also protect against rust and corrosion and provide excellent lubricity. These brake fluids are recommended for use in both disc and drum brake system and clutch system where this type of product is called out for.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
DOT 3	10825	12x1	12 oz	355 mL	12 lbs	5.5 kg	160 Cases
DOT 3	10826	12x1	1 Quart	946 mL	25 lbs	11.3 kg	66 Cases
DOT 4	10827	12x1	12 oz	355 mL	12 lbs	5.5 kg	160 Cases

BRAKE PARTS CLEANER

Lucas Non-Chlorinated Brake Parts Cleaner is manufactured with the highest quality components to provide excellent performance without leaving any residue. It effectively removes brake fluid, grease, brake dust, and other contaminants from brake linings, pads, cylinders, springs and drums. Professional strength and powerful spray pattern improves performance of the product. For use on all ABS, disc and drum brakes. Quiets noise associated with excessive brake dust. This product is VOC compliant in all 50 states.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Brake Cleaner	10906	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases
45% VOC	10157	12x1	1 Quart	946 mL	25 lbs	11.3 kg	66 Cases
90% VOC	10158	12x1	12 oz	355 mL	12 lbs	5.5 kg	160 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

5TH WHEEL & SLIDER LUBE

Lucas 5th Wheel & Slider Lube is a clean easy-to-use, inexpensive solution to the problem of dry 5th wheels and sliders. This long lasting product can easily be applied to slider rails on both tractors and trailers. Since it is virtually waterproof it doesn't wash



off trailer sliders on wet roads.



PENETRATING OIL

Lucas Penetrating Oil is one of our newest products packaged in an aerosol can. This product can be used on nuts, bolts, bearings, hinges, sliding doors or a million other home and shop uses. The formula is petroleum based and designed to provide a microscopic film that rust proofs for up to a year inside or out. In addition to its non-silicone formula, it is fortified with anti-seize agents to be a truly superior penetrant to dissolve corrosion and rust without drying. The low odor formula has a locking pop-up tube and 360° application range, even upside down. The lubricating qualities are similar to a heavy oil but have the penetrating qualities of a solvent. The petroleum base provides excellent water protection even against salt water. A body shop safe product that is compliant in all 50 states.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
11043	12x1	11 oz net	311 g	11 lbs	5 kg	108 Cases

TOOL BOX BUDDY

Lucas Tool Box Buddy is formulated with a unique Lucas additive chemistry that lubricates, penetrates, dissolves rust and provides indoor and outdoor rust protection against water, even salt water. It lubricates better, penetrates deeper and cuts rust faster than any other products. Excellent for locks, air tools, or anything exposed to moisture. Fits easily in any tool box. Excellent for household use. Does not contain harmful solvents.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10070	18x1	2 oz	59 mL	3 lbs	1.4 kg	252 Cases

AIR TOOL LUBRICANT

Heavy Duty Air Tool Lubricant is a long lasting, super slick product that allows air tools to run easier and last longer. It is a complex blend of pure petroleum oils and additives especially formulated to combat rust and varnish for the working professional. It coats the working parts with a cushion of water-proof lubricants that resist "blow-out," enabling it to lube the tool, not the floor.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10216	12x1	16 oz	473 mL	12 lbs	5.9 kg	140 Cases
10200	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

CHAIN LUBRICANT

Lucas Chain Lubricant has excellent high temperature stability and clinging qualities. It contains organic Moly plus a complex blend of special additives and select base oils. It is a long lasting, all-weather, all-temperature lubricant and protectant for chains, sprockets, cables and open gears. It has a stronger lubricant film than grease and is impervious to salt water.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10014	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases



■ 🄏 🎢 **N** 🗉





CHAIN LUBE AEROSOL

Lucas Chain Lube is one of our newest products packaged in an aerosol can. It is formulated with unique Lucas additive chemistry that penetrates deeply into the pins and bushings of the chains and provides excellent rust and corrosion protection as well as outstanding water resistance. Our product does not sling off and resists rust. It has been tested by professional motorcycle riders and can be used on all chain types. It sprays in any direction, even upside down, and has a unique foam property.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10393	12x1	11 oz net	311 g	11 lbs	5.0 kg	108 Cases

HUB OIL

Hub Oil is over-worked and often neglected. It's also hard to change and prone to leak. Lucas Hub Oil is a heavy duty blend of special oils and additives designed to compensate for these problems. It totally stops most hub seal leaks and allows hubs to operate on a marginal amount of oil in case of poor maintenance or a totally blown seal. Available in larger containers for fleet maintenance.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10088	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

TB ZINC PLUS ENGINE BREAK-IN OIL ADDITIVE

Lucas TB Zinc Plus Engine Break-In Oil Additive is especially formulated with ZDDP to protect camshaft lifters and valve train during break-in period of motor. Extreme pressure additives enhance protection in any engine. Excellent for flat tappet camshafts during break-in or as an additive to any motor oil to prevent premature wear. Use with every oil change to increase the zinc content of your motor oil.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10063	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases





HEAVY DUTY GEAR OILS COOLS & QUIETS

Lucas Heavy Duty Gear Oils are blended with an extra additive package, over and above the normal gear oil additives. With these products, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what gear oil was meant to be.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 80W-90	10043	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
SAE 80W-90	10046	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases
SAE 85W-140	10042	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
SAE 85W-140	10045	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases



PURE SYNTHETIC GEAR OILS COOLS & QUIETS

Lucas Pure Synthetic Gear Oils are super-slick, long lasting lubricants designed especially for heavy duty or high performance applications where regular gear lubricants just aren't good enough. They contain a special additive package that increases lubricity and insures less gear noise and longer bearing life. Designed to stand up to high temperatures without losing its lubricity. Excellent for use in limited slip differentials.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE 75W-90	10047	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
Syn SAE 75W-90	10048	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases
Syn SAE 85W-140	10121	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
Syn SAE 85W-140	10122	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

INDUSTRIAL GEAR OILS

Lucas Industrial Gear Oils are blended with the highest quality base oils and additives to provide extreme pressure protection, resistance to foam and excellent rust, corrosion and oxidation protection. Non-corrosive to brass, bronze, steel and other copper alloys. These oils can be used in chain drives, sprockets, plain and anti-friction bearings, slide guides and flexible couplings. They can be used in manual transmissions, gear canes and worm gears on mobile contractor type equipment. They provide excellent shock loading properties and are designed to withstand heavy loads. Meet AGMA (American Gear Manufacturers Association) gear specifications. Recommended for use in bevel, spur, herringbone, planetary, worm and industrial hypoid gears.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
ISO 220	10589	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 320	10591	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails





"SURE-SHIFT" SEMI-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

This is no normal ATF formulation. Lucas "Sure-Shift" Semi-Synthetic Automatic Transmission Fluid has been developed to give the smooth precise shifts needed by Drag Racers. It extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried, and it's very long lasting. It's compatible with most transmissions and transmission fluids and it's excellent for Allison Transmissions. Not recommended for use in CVT and Ford Type F transmissions.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10052	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

SEMI-SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Lucas Multi-Vehicle Automatic Transmission Fluid is formulated with the highest quality synthetic and conventional base oils along with a unique Lucas additive chemistry. It has been designed to promote smoother shifting and provide the highest performance in both foreign and domestic transmissions. It is compatible with all types of transmission fluids with the exception of CVT, Ford Type F, MB 236.12, Dexron® VI, MERCON® LV, MERCON® SP and Allison TES-295. It is truly a versatile fluid.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10418	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

SYNTHETIC MULTI-VEHICLE CVT FLUID

Lucas Synthetic Multi-Vehicle CVT Fluid is a premium, full synthetic transmission fluid specifically designed for use in passenger cars with steel belt-driven or chain continuously variable transmissions. Lucas CVT Fluid guards against wear and corrosion. It resists shear thinning better than typical CVT fluids. Lucas CVT Fluid provides superior cooling and excellent low-temperature fluidity for smoother operation in cold weather. Protects against sludge and varnish formation. Excellent oxidation resistance and thermal stability. It has a low coefficient of friction between steel and clutch material to eliminate shudder. It has been specifically engineered to have the unique frictional properties required for use in this type transmission.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10111	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10112	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	65 Cases







AUTOMATIC TRANSMISSION FLUID CONDITIONER

Lucas Automatic Transmission Fluid Conditioner is designed to provide ATF's with enhanced performance. A unique Lucas additive chemistry prolongs fluid life, reduces wear, conditions seals, reduces noise and shudder and maintains cold temperature properties even under the most adverse conditions. It is designed as a preventative measure in both new and older foreign and domestic transmissions and is compatible with both synthetic and conventional ATF's. Not recommended for use in CVT and Ford Type F transmissions.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10441	12x1	20 oz	591 mL	16 lbs	7.3 kg	108 Cases

PURE SYNTHETIC 50 WT. TRANSMISSION OIL

Lucas Pure Synthetic 50 WT. Transmission Oil is especially designed for heavy duty truck transmissions but can be used in many other applications. Lucas Synthetic 50 WT. contains an exclusive additive concentrate derived from synthetic oil that ensures lower operating temperatures and better lubrication, especially to upper bearings and gears. This is a long lasting fluid that is far superior to conventional synthetic 50 WT's. Also available in larger containers.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10146	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

Lucas Anti-Squawk/Anti-Shudder Additive was developed to specifically address squawk noise in gear and transmissions of agricultural equipment at initial startup. Sixteen (16) ounces of product eliminates the noise and is suitable for use in temperatures well below freezing. This product also has been proven to be effective in reducing shudder in automotive transmissions including Hondas.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
1059 9	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases





RED "N" TACKY GREASE

Lucas Red "N" Tacky is a smooth, tacky, red lithium complex grease fortified with a high degree of extreme pressure additives that give a TRUE Timken load much higher than other greases of this type. It stays in U-joints and resists wash-out, making it the perfect truck grease. It exceeds OEM "Lube For Life" specifications.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10005-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases
10574	10x1	16 oz net	454 g	15 lbs	6.9 kg	100 Cases
10318	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases



RED "N" TACKY SPRAY GREASE

Lucas Red "N" Tacky Spray Grease is a brand new offering in its product line. The spray grease is a high-quality grease in a convenient aerosol package with an impressing ability to cling to applied surfaces, resistance to water washout, and broad temperature use range. The application is ideal for putting grease in those hard-to-reach areas. It's excellent for cars, trucks, RVs, industrial or farm equipment and around the house. It can be used wherever a grease is the preferred lubricant.

MULTI-PURPOSE EP GREASE
RED "N" TACKY SPRAY GREASE
PERFECT FOR HARD TO REACH PLACES
DEET HEIMER, DE HEIM, E' SMALLUNED SOFFEET Formatie voorte wert Lakst Flack-verze Dates Wertwaarden voort ander als forsten flack Wertwaarden voort als soft ander als Wertwaarden voort als soft ander als soft ander als wertwaarden voort als soft ander als soft and als soft and wertwaarden voort als soft als soft and als soft als soft and wertwaarden voort als soft

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
11025	12x1	11 oz net	311 g	11 lbs	5 kg	90 Cases

X-TRA HEAVY DUTY GREASE

Lucas X-TRA Heavy Duty Grease is the end result of years of research and a brand new technology. This is the only grease we've found that completely recovers after being extremely overheated. It's virtually wash-out proof (goes off the chart for high speed bearings) and lasts up to four times longer than conventional lithium grease. Fortified with an extreme pressure additive package, it exceeds OEM "Lube For Life" specifications.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10301-30	30x1	14.5 oz net	411 g	30 lbs	14.5 kg	60 Cases
10330	12x1	16 oz net	454 g	15 lbs	6.9 kg	100 Cases



RED "N" TACKY / 5TH WHEEL LUBE

Lucas Red "N" Tacky 5th Wheel Lube is a heavy duty, water resistant lubricant containing rust and corrosion inhibitors and is specifically designed for 5th wheel applications. This 2.5 ounce bag is easy to handle creating little or no mess. For best results put one packet on each side of the king pin. The bag will disintegrate leaving no waste.





HEAVY DUTY MINING & CONSTRUCTION GREASE

Lucas Heavy Duty Mining and Construction Grease is a smooth, dark gray, lithium complex grease fortified with 5% molybdenum disulfide to provide excellent shock loading protection in the most adverse operating conditions. Protects wrist pins and booms from wear. It extends equipment life, reduces down time and improves productivity. It can be used with grease guns as well as in centralized dispensing systems found in industrial plants and heavy duty equipment. Recommended in Caterpillar 994 series loaders and 5130 and 5230 series shovels, off-road trucks, construction equipment, agricultural equipment, logging equipment, mining equipment (heavy duty top loaders), rock crushers, oil field equipment, off shore drilling equipment and marine equipment. Also recommended in 5th wheels, wheel bearings, chassis and steering linkages. It is GC-LB certified and meets or exceeds OEM specifications.

OL PRODUCTS INC.
MINING & CONSTRUCTION GREASE
LONG LASTING
SUPER SLICK DOES NOT RUN OFF
UNDER HIGH TEMPERATURES
EXPECT LESS GREASE USAGE
4 📷 🛃 🕯
INCLULLY FORMULATED TO INDUCE EQUIPMENT DOWN THE
NLGI #2

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10881-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases

WHITE LITHIUM GREASE

Lucas White Lithium Grease is formulated with the highest quality base oils and additives to provide mild anti-wear properties. The product is packaged in 8 ounce squeeze tubes for ease of application. It is recommended for use in plain and antifriction bearings operating under moderate load conditions. It is also recommended for use in automotive chassis, trucks, tractors and contractor equipment. It's not recommended for use in wheel bearings. This product is truly a versatile grease with applications in industrial, automotive and household, including garage door openers, springs, hinges, etc.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10533	12x1	8 oz net	227 g	6.5 lbs	3.0 kg	192 Cases

MULTI-PURPOSE GREASE COMBO PACKS

Lucas Grease Combo Packs come in two different combinations for your different needs. One pack includes two 3-ounce cartridges of X-TRA Heavy Duty Grease and one 3-ounce cartridge of Red "N" Tacky Grease. The other pack includes one 3-ounce cartridge of X-TRA Heavy Duty Grease, one 3-ounce cartridge of Red "N" Tacky Grease and one 3-ounce cartridge of Marine Grease.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
X-Tra HD/Red'N'Tacky	10315	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases
X-Tra HD/Red'N'Tacky/Marine	11048	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases





HEAVY DUTY CK-4 MOTOR OILS

Lucas Heavy Duty CK-4 Motor Oils are premium oils blended with high quality API Group II and Group III base oils and a cutting-edge additive package providing the robust performance required by modern diesel engines while assuring good fuel economy. Much improved oxidation resistance means this oil lasts longer and protects engines better than previous heavy duty motor oils. They provide excellent soot control and TBN retention as well as shear stability.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn Blend 10W-30 CK-4	10282	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases
SAE 15W-40 CK-4	10287	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	65 Cases

SAE 15W-40 MAGNUM HIGH TBN CI-4

Lucas SAE 15W-40 Magnum CI-4 oil was designed to last up to twice as long as plain 15W-40 oils. It's a blend of high quality base oils and an additive package that allows extended drain intervals and a much higher degree of protection from metal to metal contact. It holds much more soot in suspension than conventional 15W-40 oils. Expect less oil consumption and higher oil pressure. It guarantees a cool, quiet performance, a higher degree of lubricity, longer engine life and no dry starts. It is also the perfect lubricant for hard working hydrostat transmissions.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10075	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10076	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

SYNTHETIC SAE 15W-40 MAGNUM CJ-4

Lucas Oil Synthetic SAE 15W-40 Magnum CJ-4 Long Drain Truck Oil is blended with premium synthetic base oils and "Lucas" additives that help maintain the life of the emission control system as required for regulatory compliance. Expect less oil consumption and reduced engine wear. It resists oxidation and thermal breakdown for total protection in new and older engines. Provides increased lubricity, lowers oil temperature, reduces engine noise, increases oil pressure, and reduces soot levels. Suitable for use in gasoline and diesel powered engines. Lasts up to twice as long as ordinary 15W-40 engine oils.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10298	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10299	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases



SYNTHETIC SAE 5W-40 MAGNUM CJ-4

Lucas Synthetic SAE 5W-40 CJ-4 Truck Oil is designed for extreme cold weather applications but has all the protection and longevity of our SAE 15W-40 Synthetic CJ-4. It is blended with premium synthetic base oils and Lucas additives that help maintain the life of the emission control system as required for regulatory compliance. Expect less oil consumption and reduced engine wear. It resists oxidation and thermal breakdown for total protection in new and older engines. It provides increased lubricity, lowers oil temperature, reduces engine noise, increases oil pressure, and reduces soot levels. It is designed for diesels but it's perfectly suitable for gasoline engines. Lasts up to twice as long as ordinary 5W-40 engine oils.

OIL PR		
	LUCAS SAE 5W-40 MARINA	
	SAE 5W-40 LONG DANIN HD MOTOR OL MICH A DATO CASH, ACA DA CASH, ACA DA CJ-40 CASH, ACA DA CJ-40	

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10436	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

SYNTHETIC SAE 10W-30 MAGNUM CJ-4/SL

Lucas Synthetic SAE 10W-30 CJ-4 is blended with premium base oils and "Lucas" additives that help maintain the life of the emission control system as required for regulatory compliance. Expect less oil consumption and reduced engine wear. It resists oxidation and thermal breakdown for total protection in new and older engines. It provides increased lubricity, lowers oil temperature, reduces engine noise, increases oil pressure, and reduces soot levels. This oil is suitable for use in gasoline and diesel powered engines.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10570	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	



HYDRAULIC OIL BOOSTER & STOP LEAK

Lucas Hydraulic Oil Booster & Stop Leak is an inexpensive solution to your hydraulic problems. It's the perfect preventative maintenance product for new equipment and the best solution for worn hydraulics and transmissions in older equipment. A 5-10% addition will condition seals to stop leaks and restore load pressure in old equipment, or prevent leaks and wear in new equipment. It renews worn fluids, removes varnish from wet brakes and clutches; stopping slippage and lowering operating temperatures. It's impregnated with anti-foam agents. This product does not contain harmful solvents. More may be added in badly worn equipment.

TOD% PETROLEUM	HYDRAU	
ACEITE HIDRAULICO REFEORZADOR Y SELLADOR DE FUGAS UNITED ON YOUNGUEL	ACEITE HID REFORZA SELLADOR DI CONTAS OF THE	EAK DORY E FOGAS

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10019	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10018	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Universal Hydraulic & Transmission Fluid is blended with the highest quality oils and special additives that assure equipment owners reduced down-time and extended equipment life. It is a multi-purpose, power-shift transmission/hydraulic fluid intended for a wide range of power driven equipment and excellent for long term economy. It meets or exceeds performance requirements for agricultural, construction and other off-highway and industrial equipment, as well as, all OEM specifications for powershift transmissions including gears, pumps, differentials, final drives, bearings, wet brakes, transmissions and PTO clutch applications. Also available in larger containers.



Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10017	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Synthetic Universal Hydraulic Fluid is a blend of the finest synthetic base stocks and a Lucas additive package that meets or exceeds the most stringent manufacturers' specifications, including Caterpillar TO2. Expect longer fluid life and longer component life, as well as, more hydraulic pressure, faster response and smoother operation. It is blended under ultra clean conditions and passed through a finite filtration system that guarantees it to be clean of any foreign matter. It's designed for all temperature extremes and eliminates the need for warm-up time in extreme cold temperatures. It also eliminates slippage, loss of pressure; premature oil breakdown and component wear due to higher than normal operating temperatures.



Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10100	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

ANTI-WEAR HYDRAULIC OILS

Lucas Anti-Wear Hydraulic Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide maximum hydraulic service performance. It provides excellent wear protection in critical hydraulic pump parts and eliminates rust and corrosion problems as well as minimizes foam. Our product has excellent demulsibility properties. They're designed for use in hydraulic systems operating over 1,000 psi and for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings. They can be used in all pump designs including vane, gear. axial and radial pumps.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
ISO 32	10401	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 46	10404	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 68	10407	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

R&O HYDRAULIC OILS

Lucas R&O Industrial Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide excellent rust, corrosion and oxidation protection. Excellent demulsibility allows product to separate from water quickly. They contain effective foam inhibitors to stop foaming. These oils are designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require antiwear additives. They also have applications in plain and antifriction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps. They truly function as a general purpose lubricant.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
ISO 32	10447	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 46	10450	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 68	10453	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

NON-CONDUCTIVE ANTI-WEAR ISO 22 HYDRAULIC OIL

Lucas Non-Conductive Anti-Wear Hydraulic Oil ISO 22 is formulated with pure base oils and an additive chemistry that provides excellent oxidative and thermal stability. It provides excellent wear protection and reduces deposits and sludge. It contains an effective foam inhibitor which minimizes foam. Dielectric strength of 38 kV makes it an excellent non-conductive fluid. The minimum value required is 35 kV. Dielectric strength is extremely sensitive to humidity and contamination. Once the containers are opened, the dielectric strength cannot be expected to remain at its original value. Containers should be kept tightly sealed and stored in a dry environment. It is recommended for use wherever non-conductive fluids are required.



HYDRAULIC OILS

-	_
TENFORMANCE LUCAS	R&O 46 (20wt.) HYDRAULIC OIL
OIL PRODUCTS	Part #10450
INC.	5 Gallons • 18.9 Liters
KEEP THAT ENGINE ALIVE	
FLL SATE CODE	Gross Lbs: Tare Lbs:
MADE IN THE USA Corporate Headquarters	Net Lbs:
The second day of the second d	Gross Ka:
The former that All a Couples, the Children of	Tare Kg:
11000	Net Kg:
	"But classified as hazardeet according to IN Did others.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10691	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

HEAVY DUTY TRANS & DRIVE TRAIN OILS

Lucas Heavy Duty Transmission & Drive Train Oils are formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications. They're designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials. Our oils are formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life. They minimize foam, provide excellent copper corrosion and rust protection and have excellent low temperature properties, shear and oxidative stability.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 10W	10585	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
SAE 30	10443	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
SAE 50	10671	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

SYNTHETIC COMPRESSOR OILS

Lucas Synthetic Compressor Oils are high quality, 100% synthetic lubricants based on PAO/diester technology. They offer extended service life in rotary screw compressors and reduce deposits in single and multi-stage reciprocating air compressors. Lucas Synthetic Compressor Oils provide excellent oxidative and thermal stability. They provide excellent wear protection and reduce deposits and sludge. Lucas unique formula reduces foam and minimizes air entrainment.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
ISO 32	10836	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 46	10497	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
ISO 68	10837	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails



HIGH PERFORMANCE SYNTHETIC MOTOR OILS

Lucas Synthetic Motor Oils are formulated with the highest quality synthetic base stocks and an exclusive high performance additive system, including lubricity and anti-seize agents. They come in many SAE grades and meet or exceed current API specifications. These oils have excellent cold temperature properties and are compatible with conventional and synthetic engine oils.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE OW-20	10564	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-20	10082	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE OW-30	10179	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-30	10049	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-50	10101	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-30	10050	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE OW-40	10211	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-40	10189	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 20W-50	10054	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases



HIGH PERFORMANCE MOTOR OILS

HIGH PERFORMANCE SEMI-SYNTHETIC SAE 10W-40 MOTOR OIL

Lucas Semi-Synthetic SAE 10W-40 is blended with hard working, high mileage engines in mind. This high detergent formula ensures minimum drag, extended life, and easy cold weather starting. This is one of our best sellers in Europe where it is used in both gasoline and diesel engines and has proven to last thousands of miles longer than conventional formulas.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10176	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

HIGH PERFORMANCE PETROLEUM MOTOR OILS

Lucas Petroleum Motor Oils are formulated with the highest quality paraffinic base stocks and an exclusive high performance additive system, including lubricity and anti-seize agents. They come in many SAE grades and meet or exceed current API specifications. These motor oils have excellent cold temperature properties and are compatible with conventional and synthetic engine oils.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 30	10053	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 5W-20	10516	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 5W-30	10474	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-30	10276	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-40	10275	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10252	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases





HOT ROD AND CLASSIC OILS

Lucas Hot Rod & Classic Car Motor Oils are manufactured with the highest quality paraffinic base oils and fortified with a unique additive package containing high levels of zinc, molybdenum and phosphorus, which provides a tougher, thicker additive film for maximum protection even under the most severe conditions. They improve the film strength between the cylinder wall and piston rings. They have good cold temperature properties and stand up to high operating temperatures Compatible with methanol and all racing fuels, as well as with synthetic and non-synthetic oils. Recommended for muscle, showroom, classic and trophy cars without catalytic converters. Can be used in racing applications. Not recommended for passenger car use.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 10W-30	10687	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-30	10679	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 10W-40	10688	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-40	10683	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 20W-50	10689	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10684	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

HIGH PERFORMANCE MOTORCYCLE OILS

Lucas Motorcycle Oils are built for endurance. These oils will lower oil temperatures, extend the life of vital components, reduce noise and leaks and increase performance. SAE 20W-50 is also an excellent gear oil and primary oil.

All Lucas High Performance Motorcycle Oils meet or exceed API SM/SL/SJ, JASO MA-2 and ACEA A3 specifications.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE 5W-20	10704	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-30	10706	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-30	10708	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE OW-40	10718	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-40	10793	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-40 JASO MB	10777	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-50	10716	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 20W-50	10702	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Semi-Syn SAE 10W-40	10710	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 50	10712	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
70	10714	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-40	10767	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10700	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases





SEMI-SYNTHETIC SAE 10W-40 ATV/UTV ENGINE OIL

Lucas Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil is a long lasting oil that stands up to the high temperatures of slow moving, hard working, air-cooled engines. It exceeds manufacturer specifications and meets JASO specifications.

Air-cooled / Water-cooled

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10720	6x1	1 Quart	946 mL	13 lbs	5.9 kg	



SYNTHETIC SAE 50 WT. V-TWIN OIL

Lucas Oil has blended this Pure Synthetic SAE 50 WT. Motorcycle Oil specifically for 4-stroke, air- cooled V-Twin/Opposed-Twin/Slant-Twin engines made after 1984. Lucas Oil has put all of its race bred technology into blending this oil to help your engine run cooler, smoother, longer. Excellent for V-Twin power plants from Harley Davidson, BMW, Ducatti, Motoguzzi and many others. It contains special Lucas additive chemistry to provide the highest performance possible. Designed for engine applications only.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10765	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases



SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

Lucas Synthetic SAE 75W-140 V-Twin Gear Oil is blended with the highest quality synthetic base oils and a Lucas synthetic additive package that makes it superior to any other motorcycle gear oil. Expect a cool, quiet performance with minimum wear and minimum drag. Stands up to high horse power and high temperature. Designed especially for V-Twins but excellent for use in any heavy duty or high performance transmission.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10791	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

PRIMARY CHAINCASE OIL

Lucas Primary Chaincase Oil is a blend of easy flowing base oils and a Lucas additive package designed to carry away more heat from the clutch and friction plates. This assures a longer, more trouble-free clutch life. Expect a smooth clutch action, less slippage, longer chain and sprocket life and much longer oil life. Designed for heavy duty and high performance situations.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10790	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

SYNTHETIC FORK OILS

Lucas High Performance Synthetic Fork Oils come in four different grades; Light (5wt), Medium (10 wt), Heavy (15 & 20 wts) depending on the application. These products are formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to provide more responsive handling, less static friction, wear protection and prevent seal hardening. They are compatible with both synthetic and conventional fork oils and can be used in all systems including damping rods, cartridges, bladder, conventional and inverted forks.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
LIGHT 5wt.	10771	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
MEDIUM 10wt.	10772	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
HEAVY 15wt.	10773	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
EXTRA HEAVY 20wt.	10779	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases

MOTORCYCLE OIL STABILIZER

Lucas Motorcycle Oil Stabilizer is a 100% petroleum product developed specifically for motorcycle applications. Its 12 ounce size makes it perfect for fitting into saddle bags or other on board storage areas. It virtually eliminates dry starts and wear. It extends oil life and lowers oil temperatures, especially in Harley Davidson's. It's designed to improve oil pressure, reduce smoking, eliminate oil leaks and blow-by in older engines. It also quiets engines and can be used in gear boxes and primaries.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10727	12x1	12 oz	355 mL	10 lbs	4.5 kg	160 Cases







SYNTHETIC 80W-85W TRANSMISSION OIL

Lucas Synthetic 80W-85W Transmission Oil is blended with an extra additive package, over and above the normal gear oil additives. With this product, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what transmission oil was meant to be.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10778	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

HIGH PERFORMANCE FOAM FILTER OIL

Lucas Foam Filter Oil is a unique low solvent, low viscosity formula designed to penetrate the filter media and trap dust, dirt and sand while improving air flow. Because it has a slight tackiness it stays in place throughout the service life. Its waterproof formula helps block out moisture and water. Will not clog foam filters even in colder temperature applications. Its blue color ensures coverage across the entire filter area.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10798	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

CONTACT CLEANER AEROSOL

Lucas Contact Cleaner aerosol is a unique blend of solvents, cleaning agents and propellants designed to remove oil, dirt and moisture from contact points in small electrical equipment, controls, ignition systems, motors, relays and thermostats. This non-conductive, non-chlorinated, CFC free, VOC compliant formula dries quickly and leaves no residue.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10799	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases



WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov







SEMI-SYNTHETIC 2-CYCLE OIL

Lucas Semi-Synthetic 2-Cycle Oil's clean burning formulation is what the world has needed for years. It is smokeless because the "would be" emissions are burned, thereby increasing performance and fuel economy. Expect less filter clogging and longer engine life.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10058	24x1	2.6 oz	76 mL	6 lbs	2.3 kg	200 Cases
10059	24x1	6.4 oz	189.3 mL	13 lbs	5.9 kg	128 Cases
10120	12x1	1 Pint	473 mL	12 lbs	5.5 kg	152 Cases
10110	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10115	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

SEMI-SYNTHETIC TC-W3® 2-CYCLE LAND & SEA OIL

Lucas Semi-Synthetic TC-W3[®] 2-Cycle Land & Sea Oil was specifically formulated to address the performance requirements of water-cooled outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition, and ring sticking. It also has applications in motorcycles requiring API TC oils, chain saws, snowmobiles, golf carts and lawn mowers. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. NMMA[®] Certified. Not recommended for use in air-cooled 2-cycle applications requiring JASO FC, FD oils.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10467	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10557	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

SYNTHETIC 2-CYCLE SNOWMOBILE OIL

Lucas Synthetic 2-Cycle Snowmobile Oil has been formulated with a special blend of synthetic oils and a low ash additive package to lower exhaust emissions. It also contains a special package of detergents and lubricants exclusive to this formula alone. Especially designed for snowmobile applications but can be used in all 2-cycle applications where low ash systems are required. Contains supplemental additives to provide high performance in equipment with power valves as well as excellent cold temperature properties.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10835	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10847	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases



MARINE ENGINE OILS

Lucas Marine Engine Oils are produced with the highest quality base oils and an exclusive Lucas high performance additive package that assures maximum protection under the most extreme operating conditions. They are compatible with both synthetic and non-synthetic oils and can be used with methanol and other racing fuels. These oils are long lasting and designed to cling to metal parts during long-term storage to protect from harmful dry starts.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 20W-50	10653	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10810	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Semi-Syn SAE 20W-50	10654	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Semi-Syn SAE 20W-50	10811	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases



OUTBOARD AND INBOARD MARINE ENGINE OILS

CATALYST COMPATIBLE

Lucas Outboard and Inboard Marine Engine Oils are formulated especially for the harsh conditions of high-speed watercraft. These oils are catalyst compatible but work well in any 4-stroke application, inboard, outboard or personal watercraft. They are long lasting and fortified with a special blend of synthetic additives that coat all moving parts to guard against rust and moisture during long periods of storage. Meets industry standard API SM (automotive) as well as JASO MA standards for air-cooled motorcycles and all-terrain vehicles. NMMA[®] certified to meet or exceed FC-W (CAT) performance.

A server	
CALLENT COUT	
	A-STROKE MARINE ENCINE OIL SALE 23517440
	MADE IN UNA

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE 10W-30	10661	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-30	10812	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 10W-40	10662	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-40	10813	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 25W-40	10677	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 25W-40	10814	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

MARINE SYNTHETIC SAE 15W-40 MAGNUM CJ-4 DIESEL ENGINE OIL

Lucas Marine Synthetic SAE 15W-40 CJ-4 Diesel Engine Oil resists oxidation and thermal breakdown for total protection in new and older marine engines. It provides increased lubricity and lower oil temperature. It reduces engine noise, increases oil pressure and reduces soot levels. Suitable for use in gasoline and diesel powered engines.

Product	Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Name	Number	Case	Measure	Measure	Weight	Weight	Pallet
Syn SAE 15W-40 CJ-4	10992	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases



Lucas Synthetic Blend Marine 2-Cycle Oil TC-W3[®] Synthetic Blend is specifically formulated to address the performance requirements of water-cooled 2-cycle outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition and ring sticking. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. NMMA® TC-W3® certified (RL-13125P).

,	.,				- (- /
Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10860	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10861	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

SYNTHETIC MARINE ATF TYPE FA

Lucas Marine ATF Type FA is a blend of high quality synthetic base oils and a specific Lucas additive package. It is a long lasting product des е boat transmissions calling for Ford ESW-M2C33-F.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10651	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

SYNTHETIC M8 MARINE GEAR OIL **SAE 75W-90**

Lucas Synthetic M8 Marine Gear Oil SAE 75W-90 is a pure synthetic, non-foaming, super slick, long lasting lubricant designed for marine applications. It is excellent for use in stern drives, v-drives, gear boxes, trailer wheel bearings and superchargers, and meets or exceeds API GL-5 performance requirements.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10652	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

FISHING REEL OIL

Lucas Fishing Reel Oil is a special blend of oil and additives specifically designed to lubricate all moving parts in fresh water and salt water fishing reels. This product provides protection against rust and corrosion even under the most adverse conditions. The new leak proof one-drop applicator allows just the right amount of lubricant to be applied in hard to reach areas. Packaged in an attractive countertop display.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10690	20x1	1 oz	29.6 mL	2 lbs	0.9 kg	315 Cases

29

,	ise in high performance
Qty. Per Pallet 168 Cases	



MARINE





MARINE FUEL TREATMENT

Lucas Marine Fuel Treatment is designed specifically to address the issues watercraft owners experience with their engines and fuel systems. Lucas Marine Fuel Treatment fights corrosion, keeps fuel lines, carburetors or fuel injectors clean and free of deposits while lubricating and protecting vital engine parts. Powerful detergents, including polyether amines, improve cleanliness in the fuel system and internal engine parts. It's designed for gasoline and diesel engines, 4-stroke or 2-stroke. Upper cylinder lubricants insure smooth operation and longer engine life.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10151	24x1	5 oz	148 mL	9 lbs	4.1 kg	224 Cases
10981	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
10177	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases

MARINE GREASE

Lucas Marine Grease is a premium grease of the overbased calcium sulfonate type with inherently superior corrosion resistance, resistance to water washout, mechanical stability and extreme pressure lubrication. Due to these properties, it is ideally suited for marine applications where these important properties are intrinsic to the grease and not the result of fortification with additives. Additionally, Lucas Marine Grease has excellent load-carrying capacity and resistance to oxidation. It contains no heavy metals (e.g. lead, arsenic or antimony) or other environmentally harmful additives such as phosphorus, chlorine or zinc. Lucas Marine Grease meets NLGI Certification GC-LB. Not recommended for centralized dispensing systems requiring NLGI consistency number of 1 or less.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10320-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases
10682	10x1	3 oz net	85 g	6 lbs	2.7 kg	100 Cases

INT'L Measure

10980 12x1

SLICK MIST[®] MARINE SPEED WAX

Lucas Oil Slick Mist[®] is a polymer paint gloss intensifier, which can be used on other surfaces such as glass, chrome and vinyl decals. Use Slick Mist[®] as a traditional wax, quick detail spray or spray it on your boat between rinsing and drying for the easiest polish job ever. Just spray it on a wet or dry surface and wipe it off. Slick Mist[®] out performs the competition and will leave your finish slicker and shinier than any product on the market, with long lasting protection. Great at removing hard water deposits and is ideal in saltwater and freshwater applications.

> Weight 24 oz 710 mL 22 lbs 10.0 kg 90 Cases

ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats
or tire treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.





HUNTING GUN OIL The Original Lucas Gun Oil is a special blend of oil and petroleum extrac slick, yet clings to metal parts for easier operations and zero v

Lucas Gun Oil is a special blend of oil and petroleum extracted additives. It's super slick, yet clings to metal parts for easier operations and zero wear. It resists "burn off" many times longer than conventional oils and will not dry off during long periods of storage. Odorless all-purpose firearm lubrication, ideal for hunting firearms, bows and general household use. Packaged in an attractive countertop display.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10006	18x1	2 oz	59 mL	3.6 lbs	1.6 kg	252 Cases

EXTREME DUTY GUN OIL

Lucas Extreme Duty Gun Oil is designed for firearms that experience high volume, full auto and suppressed fire. It provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil. Polymeric film protects metal parts from rust, wear and moisture during extreme conditions. It neutralizes acids caused by contact from human hands and resists drying during long periods of storage. Provides maximum heat resistance. For use on bolt carrier groups and all other moving parts.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10875	20x1	1 oz	29.6 mL	2 lbs	0.9 kg	315 Cases
10877	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases
10870	12x1	8 oz	237 mL	7 lbs	3.2 kg	272 Cases
10876	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

EXTREME DUTY CLP

Lucas Extreme Duty CLP Cleans, lubricates and protects firearms in one simple step, in a liquid or aerosol formula. Cleans: Dissolves powder, residue and contaminants and effectively cuts rust on neglected firearms. Lubricates: Contains effective anti-wear additives to reduce friction and wear, which extends the life of the firearm and its runtime. Protects: Fast drying formula is designed to protect against rust and corrosion during long storage periods, minimizes fingerprints and effectively repels water.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10915	12x1	4 oz	148 mL	3 lbs	1.4 kg	360 Cases
10916	12x1	11 oz net	311 g	11 lbs	5.0 kg	108 Cases

EXTREME DUTY GUN GREASE

Lucas Extreme Duty Gun Grease is a premium, heavy duty firearm grease formulated with a unique additive system designed to provide maximum lubrication under the most severe operating conditions for full-auto firearms and anywhere else a thicker lube is desired. This is a true firearms grease, developed to lubricate and protect under the harshest heat, friction and pressures of sustained firing while reducing friction and wear. Its unique formulation is designed to prevent rust and corrosion from rain and moisture in fresh and saltwater environments. Recommended for all firearms types.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10889	6x1	1 oz	28 g	N/A	N/A	279 Cases

moving p	oarts.	AL PRODUCT
r		GUI
es		MAXIMUM H PREMISTAN BIT TO AC
es		0.0
es		
es		





GUN METAL POLISH & TUMBLER MEDIA ADDITIVE

Lucas Gun Metal Polish & Tumbler Media Additive is easy to use, long lasting, safe on most metals, and contains no acid or ammonia. Cleans and polishes factory firearm finishes and bores. Not designed for use on cold bluing. Keep away from heat and flames. Always shake well before and during use. Great for all types of firearms. An excellent additive for media. Reduces tumbling time and improves results.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10878	12x1	4 oz	118 mL	3 lbs	1.4 kg	378 Cases
10880	12x1	1 Pint	473 mL	16 lbs	7.3 kg	125 Cases

EXTREME DUTY BORE SOLVENT & ULTRASONIC GUN CLEANER

Lucas Extreme Duty Bore Solvent and Ultrasonic Gun Cleaner is a premium blend of cleaning solvents and corrosion inhibitors formulated to remove carbon, powder residue, copper and lead fouling, by hand or in an ultrasonic cleaner. It is pleasantly scented, it is not drying and is mild toward the multiple materials common on modern firearms. It will not attack polymeric or factory finishes.

NLUCAS NUEST	
Superior Protection Superior	
245	10000 Chicas
Tions	ETHEME
RURE	SOLVENT SOLVENT
SOLVENI A ULTRASONIE SUN CLEANER	
PERMOVES LEAD, CORPER, CARBON POULDER RESIDUE	COPPER, CARDON POULING, OLL A POWDER RESIDUE OWEAT FOR ULTRASONE USE
ULTRASONIC USE MADE IN USA 9/L OZ U.S./ 6291	MADE IN USA 64 FL OZ U.S. /1/81

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10907	12x1	4 oz	118 mL	3.8 lbs	1.7 kg	264 Cases
10918	12x1	1 Pint	473 mL	12.5 lbs	5.7 kg	132 Cases
10909	6x1	1/2 Gallon	1.89 L	24 lbs	11 kg	100 Cases

EXTREME DUTY CONTACT CLEANER

Lucas Oil Extreme Duty Contact Cleaner's high pressure spray contains a unique blend of solvents, cleaning and drying agents designed to blast away powder residue, grease, oil and other debris from firearm actions, slides, barrels and parts, leaving zero residue. This product is safe on your firearm's metal finishes and will not harm polymers subjected to incidental contact. Its unique formula effectively displaces water, which is great if you are caught outside in a rain or snow storm.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10905	12x1	11 oz	311 g	11 lbs	5 kg	108 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

APPLICATOR BOTTLE

Holding up to 1 ounce, this American made, leak free, needle applicator bottle allows precise application of lubricants or solvents.







SYNTHETIC RACING ENGINE OILS

Lucas Synthetic Racing Engine Oils are the class of the field with viscosities ranging from 5W-20 to 20W-50 with a maximum temperature/viscosity range demanded by many late model engines like the supercharged Ford Modular, Chrysler and GM LS engines. Whatever your competition lubrication demands are, Lucas has oil specifically designed to meet your requirements.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE 5W-20	10883	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-20	10884	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 5W-30	10885	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 5W-30	10886	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 5W-50	10101	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-30	10610	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-30	10611	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 10W-40	10942	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 10W-40	10911	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 20W-50	10615	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Syn SAE 20W-50	10616	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases



SYNTHETIC SAE 5W-20 JR. DRAGSTER RACING ENGINE OIL

Lucas Synthetic 5W-20 Jr. Dragster Oil was developed for high RPM naturally aspirated gasoline and alcohol engines in Jr. Dragsters, Go Karts, and Quarter Midgets. It is also excellent for use in Outlaw 330 alcohol engines. Contains a high level of ZINC and phosphorus to protect cylinder walls, cams and lifters in splash only oil systems.

RACING	UTAKS:
ENGINE OIL JUNIOR STUTIED SAE 5W-20 ZINC FORTHED - 4-STROKE	
MAGE N USA 5 0T (1.25 GAL) 4.73 L	DRAGSTER Internet SALE 514-20 DINC FORTHINED - 4-STREET WE RINK 15PR 02 (MILTIN)

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10380	12x1	15 oz	444 mL	12 lbs	5.5 kg	132 Cases
10471	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

SEMI-SYNTHETIC RACING ENGINE OILS

Lucas Semi-Synthetic Racing Engine Oils blend the best of both worlds to create an excellent combination of protection and power with an eye toward the budget. This blend guarantees lower oil temperatures through a high-tech blend of new ZINC technology that should be required use on all high performance flat tappet cam engines. Semi-synthetic is also compatible with all fuels, including E85 and methanol and with its higher lubricity offers outstanding benefits like quicker acceleration rates. In addition to increased thermal stability, semi-synthetics also offer reduced cavitation which improves oil pump performance.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Semi-Syn SAE 10W-40	10943	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Semi-Syn SAE 10W-40	10913	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Semi-Syn SAE 20W-50	10306	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
Semi-Syn SAE 20W-50	10378	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases



CONVENTIONAL RACING ENGINE OILS

The "PLUS" is for the extra additives above and beyond those found in ordinary racing oils. These true high performance lubricants were developed especially for top fuel and top alcohol engines. These products contain special Lucas additives that resist fuel dilution like no other oil possibly can. Just like our other high performance oils, these racing oils contain Moly and friction modifiers. More importantly, the PLUS formula resists squeezing out of the bearings under heavy load.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 10W-30	11016	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 10W-30	11017	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 20W-50	10620	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10621	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 50 PLUS	10347	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
60 PLUS	10910	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
70 PLUS	10348	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases



RACING FORMULA 2-CYCLE OIL

Lucas Racing Formula 2-Cycle Oil was developed specifically for racing and other demanding applications. It leaves a tenacious lubricant film on all wetted parts. A blend of lubricant base stocks, both a synthetic hydrocarbon type and esters are used. Lucas blends these lubricant base stocks with a low-ash additive package that insures superior detergency and anti-wear, both at high and low operating temperatures. Formulated to meet API TC and JASO FD performance. This is a low-smoke product and is suitable for air or water-cooled engines. This premium product contains only a small amount of high flash point solvent, yet blends effortlessly with gasoline and resists spark plug fowling. This product is not recommended for snowmobiles or watercraft requiring NMMA TC-W3 ashless 2-Stroke Oil. It is also not recommended for methanol or E85 fueled engines. Please see Lucas other offerings for these applications.

fueled engines. Please see Lucas other offerings for these application									
Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet			
10828	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases			
10820	2v1	5 Auart	1731	30 lbc	13.6 kg	65 Cases			



RACING SUSPENSION FLUID

Lucas Suspension Fluids provide exceptional viscosity stability, anti-friction and antifoam properties for use in all high performance suspension systems. Applications include off road racing shocks, motocross, supercross, conventional and upside down forks, circle track racing and more. Lucas specially formulated friction modifiers increase lubricity for minimum friction and for more responsive handling. Guaranteed to improve a narrow, consistent, rebounding range and easy suspension tuning.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
S1 — 2.5 WT	10488	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
S1 — 2.5 WT	10548	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
S2 — 5 WT	10489	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
\$2 — 5 WT	10552	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases



L9, L10 & L11 RACING GEAR OILS

Lucas Gear Oils provide excellent thermal stability and longevity throughout the entire drive train system. Recommended for use in both transmissions and differentials. These formulas were specifically developed with special anti-wear agents and lubricity agents to control wear and drag as well as special additives to control heat. This feature is not found in ordinary gear oils. They're excellent for race cars and any heavy-duty application where plain gear oils just aren't good enough. The L-Series gear oils feature lightweight viscosities specially blended for road racing and closed-course use in three different blends depending upon your requirements. They use the latest additive package technology that offers improved heat transfer characteristics, improving gear and bearing life even in the most severe applications.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
L9 – 7.5 WT	10456	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases
L9 – 7.5 WT	10458	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
L10 – 5 WT	10462	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails
L11 – 2.5 WT	10540	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails

SYNTHETIC SAE 140 & 250 RACING GEAR OILS

Lucas Synthetic SAE 140 and 250 Gear Oils are designed for high horsepower, high torque conditions. Made from the highest quality heavy synthetic base oils, Lucas Racing Gear Oils contain a proprietary package of additives and extreme pressure lubricants specially engineered for shear stability and the demands of severe racing conditions. This synthetic formulation provides a barrier cushion between metal surfaces. It absorbs impact by creating a barrier coating on gear surfaces for the critical line of protection against wear, pitting and scoring. These oils are long lasting and perfect for any heavy duty application.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Syn SAE 140	10431	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
Syn SAE 250	10646	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

ASSEMBLY LUBE

Lucas Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. It's perfect for engine building. The semi-synthetic formula contains zinc, Moly and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, it will eliminate dry starts and prevent seizing galling and scuffing.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10152	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases
10153	12x1	8 oz	237 mL	7 lbs	3.2 kg	272 Cases



RACING ASSEMBLY GREASE

Lucas Racing Assembly Grease is a heavy duty and corrosion resistant grease made of Calcium Sulfonate Complex thickener. It is suitable for all metals. It provides anti-wear, extreme pressure properties and dissolves completely in oil. Provides protection during initial start-up and is designed for use on cams and lifters. It is also recommended for use on distributor caps, rocker shafts, rocker tips, push rod tips, wrist pins and valve guides. It's also an excellent assembly lubricant for automatic and manual transmissions, making it an indispensable addition to your toolbox. Tested and approved by top NASCAR teams.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Cases Per Pallet
10921	600x1	.59 oz net	16.7 g	N/A	N/A	60 Cases
10891	12x1	16 oz net	454 g	13 lbs	5.9 kg	140 Cases

EXTREME PRESSURE SYNTHETIC GREASE

Lucas Extreme Pressure Synthetic Grease contains special bonding agents that create a powerful lubricant film between moving metal surfaces. This film can withstand extreme heat and mechanical pressure to keep metal parts separated, protecting them from scoring and seizing. It has excellent adhesion qualities that will maintain the lubricant on the component through those first few crucial engine cycles until the engine oil can assume control.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10563	144x1	1 oz net	28 g	N/A	N/A	85 Cases

ENGINE BREAK-IN OILS

Lucas Racing Break-In Oils help seal new rings while providing excellent extreme pressure properties that protect the entire valve train and of course, the camshaft. Especially designed for flat tappet camshafts, but can be used wherever you need the extra wear protection in the form of zinc. Zinc levels typically at 3600 PPM, which is much higher than commercial passenger car oils. Recommended for use in racing applications only. Not recommended for passenger cars requiring API service oil.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
SAE 5W-20	11016	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 5W-20	11017	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 20W-50	10635	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 20W-50	10636	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases
SAE 30	10630	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
SAE 30	10630	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases





SSEMRIV CREAS

RACING SEMBLY GREASE In DE FORMUT 10.59 02 (16.7 a) MARGINAL

METAL POLISH

Lucas Metal Polish cleans, polishes and protects aluminum and other metals including chrome, magnesium, stainless steel, silver, brass and gold. It gives a deep shine and maximum luster with little effort. This fast acting metal polish is simple to use and is safe on all metals. It contains no acid or ammonia.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10155	12x1	1 Pint	473 mL	15.5 lbs	7.0 kg	125 Cases

ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats

SLICK MIST[®] SPEED WAX

Slick Mist[®] Speed Wax is a fast and easy wax that is great for shining cars, motorcycles, ATV's, trucks, boats, and airplanes. It helps keep mud, bugs and tar from sticking to your vehicle. It can be easily used in direct sunshine and on wet or dry surfaces. It will not harm leather, rubber, plastic or aluminum surfaces. Great for a quick showroom shine between washes. The 2 ounce bottles are packaged in an attractive counter top display.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10160	12x1	24 oz	710 mL	22 lbs	10.0 kg	90 Cases
10160-6	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases
10161	20x1	2 oz	59 mL	4 lbs	1.8 kg	270 Cases



Slick Mist[®] Interior Detailer is a water based, pH neutral product that restores interiors to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent cracking and fading caused by direct sunlight and has a pleasant bubble gum smell.

Product	Per	U.S.	INT'L	U.S.	INT'L	Qty. Per
Number	Case	Measure	Measure	Weight	Weight	Pallet
10514	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases

SLICK MIST® TIRE & TRIM SHINE

Slick Mist[®] Tire & Trim Shine is a water based, pH neutral product that restores tires, bumpers and trim to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent fading caused by direct sunlight and has a pleasant citrus smell. The 2 ounce bottles are packaged in an attractive counter top display.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10513	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases
10104	20x1	2 oz	59 mL	4 lbs	1.8 kg	270 Cases









SLICK MIST[®] DETAILING KIT

Lucas Slick Mist[®] Speed Wax is a quick detail spray wax designed to enhance and protect the surface of your vehicle's paint finish while protecting against harmful UV rays. This product is great for cars, trucks, motorcycles, boats, planes, and other materials such as chrome, glass, and vinyl decals. Lucas Slick Mist[®] Interior Detailer is a spray treatment designed to clean and protect interior surfaces such as plastic, vinyl, leather, rubber and metal. Lucas Slick Mist[®] Tire & Trim Shine is designed to give your tire sidewall a clean, non-greasy wet look with long lasting results. This product is easy to use and dries fast to resist product sling off. Use a clean microfiber towel for best results.



Slick Mist[®] Detailing Kit contains:

1 - 24 oz. Speed Wax, 1 - 24 oz. Interior Detailer, 1 - 24 oz. Tire & Trim Shine, 1 - 16"x16" Microfiber Towel and 1 - No Mess Applicator.

Product	Per	U.S.	INT'L	Qty. Per
Number	Case	Weight	Weight	Pallet
10558	4x1	25 lbs	11.3 kg	60 Cases

SELL MORE PRODUCTS WITH THESE POWERFUL MARKETING TOOLS!

STARTER KIT

PART #10041

The perfect way to introduce Lucas Oil Products to smaller dealers is this attractive counter display shipped with this popular

assortment of products:

- UCL Fuel Treatment
 5.25 oz. 12 each
- Heavy Duty Oil Stabilizer 32 oz. – 3 each
- Power Steering Stop Leak
 12 oz. 4 each
- Transmission Fix 24 oz. 3 each

EXTREME DUTY GUN OIL COUNTER DISPLAY

PART #10875





DEMONSTRATOR

PART #10500

This interactive gear demonstrator should be placed on the counter where your customers can play with

it and ask questions! It promotes the Lucas Oil Heavy Duty Oil Stabilizer, the most versatile and profitable additive in your store.

(10001 - Heavy Duty Oil Stabilizer sold separately.)



FISHING REEL OIL COUNTER DISPLAY

PART #10690



SLICK MIST® SPEED WAX COUNTER DISPLAY



ORIGINAL GUN OIL COUNTER DISPLAY



MOTORCYCLE OCTANE BOOSTER COUNTER DISPLAY

PART #10725



TOOL BOX BUDDY COUNTER DISPLAY



COMPLETE ENGINE TREATMENT COUNTER DISPLAY

PART #60022



SAFEGUARD PART #10804

RED 'N' TACKY/ 5TH WHEEL LUBE COUNTER DISPLAY

PART #10676



DISPLAY RACK PART #10400

Includes Rack Only. (Product Sold Separately.)



SPECIALTY ASSORTMENT

PART #11012

Includes 11 Cases (1 Case Each):

- 10001 Heavy Duty Oil Stabilizer 32 oz.
- 10002 Heavy Duty Oil Stabilizer 128 oz. • 10003 – Upper Cylinder Lubricant
- Fuel Treatment 32 oz.
- 10005 Red "N" Tacky Grease 14 oz.
- 10008 Power Steering Stop Leak 12 oz.
- 10009 Transmission Fix 24 oz. • 10013 – Upper Cylinder Lubricant
- Fuel Treatment 128 oz. • 10020 – Upper Cylinder Lubricant Fuel Treatment - 5.25 oz.
- **10026** Octane Booster 15 oz.
- 10088 Hub Oil 32 oz.
- 10301 X-Tra Heavy Duty Grease 14.5 oz.



AGRICULTURE ASSORTMENT

PART #11004

Includes 17 Cases (1 Case Each):

- 10001 Heavy Duty Oil Stabilizer - 32 oz.
- 10002 Heavy Duty Oil Stabilizer - 128 oz.
- 10005 Red "N" Tacky Grease 14 oz.
- 10009 Transmission Fix 24 oz.
- 10017 Universal Hydraulic & Transmission Fluid - 128 oz.
- 10018 Hydraulic Oil Booster & Stop Leak - 128 oz.
- 10042 SAE 85W-140 Heavy Duty Gear Oil - 32 oz.
- 10043 SAE 80W-90 Heavy Duty Gear Oil - 32 oz.
- 10047 Synthetic SAE 75W-90 Trans & Diff Lube - 32 oz.
- 10075 SAE 15W-40 Magnum Cl-4 Truck Oil - 32 oz.
- 10076 SAE 15W-40 Magnum Cl-4 Truck Oil - 128 oz.
- 10278 Engine Oil Stop Leak 32 oz.
- 10287 SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.
- **10301** X-Tra Heavy Duty Grease - 14.5 oz.
- 10393 Chain Lube Aerosol 11 oz.
- 10881 HD Mining & Construction Grease NLGI #2 - 14 oz.
- **11043** Penetrating Oil 11 oz.

HEAVY DUTY CK-4 ASSORTMENT

PART #11014

Includes 15 Cases

(1 Case Each):

- 10005 Red "N" Tacky Grease 14 oz.
- 10160 Slick Mist[®] Speed Wax 24 oz.
 10301 X-Tra Heavy Duty
- Grease 14.5 oz. • 10513 – Slick Mist® Tire &
- *Trim Shine 24 oz.* • **10514** – *Slick Mist*[®] *Interior*
- Detailer 24 oz. • **10873** – Diesel Deep Clean™ - 64 oz.
- (6 Cases Each):
- 10287 SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.

(3 Cases Each):

• 10282 – SAE 10W-30 Synthetic Blend CK-4 Diesel Truck Oil - 128 oz.





HEAVY DUTY ASSORTMENT

PART #11006

GRICULTURE PRODUCTS

LUCAS OIL

LUCAS OIL

LUCAS OIL

LUCAS OIL

Includes 15 Cases (1 Case Each):

- 10002 Heavy Duty Oil Stabilizer - 128 oz. • 10003 – Upper Cylinder Lubricant
- Fuel Treatment 32 oz. • 10005 – Red "N" Tacky Grease - 14 oz.
- 10013 Upper Cylinder Lubricant Fuel Treatment - 128 oz.
- 10131 Pure Synthetic Oil Stabilizer - 128 oz.
- 10279 Engine Oil Stop Leak 128 oz.
- 10282 SAE 10W-30 Synthetic Blend Ck-4 Diesel Truck Oil - 128 oz.
- **10287** SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.
- 10299 Synthetic SAE 15W-40 Magnum CJ-4 Truck Oil - 128 oz.
- 10301 X-Tra Heavy Duty Grease 14.5 oz.
- 10865 Anti-Gel Diesel Treatment 32 oz.
- 10866 Anti-Gel Diesel Treatment 64 oz.
- **10872** *Diesel Deep Clean™ 32 oz.*
- 10873 Diesel Deep Clean™ 64 oz.
- 10881 HD Mining & Construction Grease NLGI #2 - 14 oz.



HOT ROD ASSORTMENT

PART #11003

Includes 18 Cases (1 Case Each):

- 10002 Heavy Duty Oil Stabilizer 128 oz.
- 10026 Octane Booster 15 oz.
- 10160 Slick Mist® Speed Wax 24 oz.
- 10418 Semi-Synthetic Multi-Vehicle ATF - 32 oz.
- 10512 Deep Clean™ Fuel System Cleaner - 16 oz.
- 10513 Slick Mist® Tire & Trim Shine 24 oz.
- 10514 Slick Mist[®] Interior Detailer 24 oz.
 10576 Safeguard™ Ethanol Fuel Conditioner 16 oz.
- 10640 Super Coolant 16 oz.
- 10669 Deep Clean™ Fuel System Cleaner - 5.25 oz.
- 10670 Safeguard™ Ethanol Fuel Conditioner - 5.25 oz.
- 10679 Hot Rod & Classic SAE 10W-30 Motor Oil - 160 oz.
- 10683 Hot Rod & Classic SAE 10W-40 Motor Oil - 160 oz.
- 10684 Hot Rod & Classic SAE 20W-50 Motor Oil - 160 oz.
- 10687 Hot Rod & Classic SAE 10W-30 Motor Oil - 32 oz.
- 10688 Hot Rod & Classic SAE 10W-40 Motor Oil - 32 oz.
- 10689 Hot Rod & Classic SAE 10W-40 Motor Oil - 32 oz.
- 10930 Octane Booster 5.25 oz.



MARINE ASSORTMENT

PART #11001

Includes 12 Cases (1 Case Each):

- 10151 Marine Fuel Treatment and Injector Cleaner - 5 oz.
- 10320 Marine Grease 14 oz.
- 10467 Semi-Synthetic TC-W3® 2-Cycle Land & Sea Oil - 32 oz.
- 10576 Safeguard™ Ethanol Fuel Conditioner - 16 oz.
 10661 – Synthetic SAE 10W-30
- Outboard Engine Oil 32 oz. • **10662** – Synthetic SAE 10W-40
- Outboard Engine Oil 32 oz.
- 10812 Synthetic SAE 10W-30 Outboard Engine Oil - 160 oz. • 10813 – Synthetic SAE 10W-40
- Outboard Engine Oil 160 oz.
- 10860 Synthetic Blend TC-W3® 2-Cycle Marine Oil - 32 oz.
- 10861 Synthetic Blend TC-W3® 2-Cycle Marine Oil - 128 oz.
- 10980 Slick Mist® Marine Speed Wax - 24 oz.
- 10981 Marine Fuel Treatment and Injector Cleaner - 32 oz.









RACING ONLY ASSORTMENT

PART #11029

Includes 18 Cases (1 Case Each):

- 10043 SAE 80W-90 HD Gear Oil 32 oz.
- 10047 Synthetic SAE 75W-90 Trans & Diff Lube Gear Oil 32 oz.
- 10052 Semi-Synthetic Sure-Shift ATF - 32 oz.
- 10063 Engine Break-In Oil Additive TB Zinc-Plus - 16 oz.
- 10153 Assembly Lube 8 oz.
- 10157 Brake Parts Cleaner 14 oz.
 10306 Semi-Synthetic SAE 20W-50 Racing Engine Oil - 32 oz.
- 10380 Synthetic SAE 5W-20 Junior Dragster Racing Oil - 15 oz.
- 10610 Synthetic SAE 10W-30 Racing Engine Oil - 32 oz.
- 10621 SAE 20W-50 Racing Engine Oil - 128 oz.
- 10630 SAE 30 Engine Break-In Oil 32 oz.
- 10635 SAE 20W-50 Engine Break-In Oil - 32 oz.
- 10825 Synthetic Brake Fluid DOT 3 - 12 oz.
- 10827 Synthetic Brake Fluid DOT 4 - 12 oz.
- 10891 Racing Assembly Grease 16 oz.
- 10943 Semi-Synthetic SAE 10W-40 Racing Engine Oil - 32 oz.
- 11016 SAE 10W-30 Conventional Racing Engine Oil - 32 oz.
- 11043 Penetrating Oil 11 oz.





MOTORCYCLE ASSORTMENT

PART #11002

Includes 14 Cases (1 Case Each):

- 10110 Semi-Synthetic 2-Cycle Oil - 32 oz.
- 10393 Chain Lube Aerosol 11 oz.
- 10700 SAE 20W-50 Motorcycle Oil - 32 oz.
- 10702 Synthetic SAE 20W-50 Motorcycle Oil - 32 oz.
- 10708 Synthetic SAE 10W-30 Motorcycle Oil - 32 oz.
- 10710 Semi-Synthetic SAE 10W-40 Motorcycle Oil - 32 oz.
- 10716 Synthetic SAE 10W-50 Motorcycle Oil - 32 oz.
- 10720 Semi-Synthetic SAE 10W-40 ATV/UTV Oil - 32 oz.
- 10725 Motorcycle Octane Booster 2 oz.
- 10765 Synthetic SAE 50 wt. V-Twin
- Motorcycle Oil 32 oz. • 10767 – SAE 10W-40 Motorcycle Oil - 32 oz.
- 10790 Primary Chaincase Oil 32 oz. • 10791 – Svnthetic SAE 75W-140
- 10/91 Synthetic SAE 75W-140 V-Twin Gear Oil - 32 oz.
- 10929 Safeguard™ Ethanol Fuel Conditioner - 2 oz.



WINTER ASSORTMENT

PART #11005

Includes 17 Cases (1 Case Each):

- 10008 Power Steering Stop Leak 12 oz.
- 10009 Transmission Fix 24 oz.
- 10049 Synthetic SAE 5W-30 Motor Oil - 32 oz.
- 10050 Synthetic SAE 10W-30 Motor Oil - 32 oz.
- 10082 Synthetic SAE 5W-20 Motor Oil - 32 oz.
- 10130 Pure Synthetic Oil Stabilizer 32 oz.
- 10441 Automatic Transmission Fluid with Conditioners - 20 oz.
- 10442 Power Steering Fluid with Conditioners - 16 oz.
- 10467 Semi-Synthetic TC-W3® 2-Cycle Land & Sea Oil - 32 oz.
- 10512 Deep Clean™ Fuel System Cleaner - 16 oz.
- 10576 Safeguard™ Ethanol Fuel Conditioner - 16 oz.
- 10835 Synthetic 2-Cycle Snowmobile Oil - 32 oz.
- 10847 Synthetic 2-Cycle Snowmobile Oil - 128 oz.
- 10865 Anti-Gel Diesel Treatment 32 oz.
- 10866 Anti-Gel Diesel Treatment 64 oz.
- 10872 Diesel Deep Clean™ 16 oz.
- 10873 Diesel Deep Clean™ 64 oz.











— UNITED STATES — LucasOil.com

Corporate Headquarters, California 302 N. Sheridan St. Corona, CA 92880-2067 (951) 270-0154 • Fax (951) 270-1902 Toll Free U.S., Canada & Mex (800) 342-2512 Manufacturing Facility, Indiana 3199 Harrison Way NW Corydon, IN 47112-6903 (812) 738-1147 • Fax (812) 734-0466 Toll Free (800) 261-0392

— UNITED KINGDOM LTD. — LucasOil.co.uk

European Headquarters Unit 4 Cunliffe Drive • Llangefni Industrial Estate, Llangefni • Anglesey, LL77 7JA • UK Tel. 01248-723-666 • Fax 01248-723-275 Toll Free 0808-100-3259



4060B Sladeview Cr., Unit 2 Mississauga, ON L5L 5Y5 Tel (905) 819-1882 Fax (905) 814-9836 Toll Free Canada & U.S. (888) 878-6973

— **MEXICO** — LucasOil.com.mx

Representaciones MKL Arquímedes No. 199-202 Col. Polanco Miguel Hidalgo, C.P. 11560 México D.F., México Tel. (52 55) 5203 7308 001-800-342-2512 *— AUSTRALIA & — NEW ZEALAND Lucas0il.com.au*

Logan Distribution LTD. 38 Spartan Rd, Takanini, Auckland 2246, New Zealand Tel. +64 9 267-2246 Toll Free Australia 1800 686 632



Copyright © 1/2019 Lucas Oil Products, Inc.

Lucas0il.com

